



TAMAYA

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Acciaio inox

Stainless steel



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	121 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata intensiva Booster airflow	430 m³/h
Livello sonoro min-max Noise level min-max	53 - 62 db(A)
Assorbimento totale Total absorption	146 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140124	38,00 €
Kit camino +200 Chimney kit +200	KIT00778A	85,00 €
Kit camino +420 Chimney kit +420	KIT00779A	101,00 €

MODELLI MODELS

TAMAYA PB IX/A/60	PRF0009706C	407,00 €
TAMAYA PB IX/A/90	PRF0009794C	461,00 €



MISSY

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox, nero
Stainless steel, black



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	97 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	395 m³/h
Livello sonoro min-max Noise level min-max	49 - 68 db(A)
Assorbimento totale Total absorption	96 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141497	25,00 €
--------------------------------	------------	---------

MODELLI MODELS

MISSY PB IX/A/60	PRF0091761B	185,00 €
MISSY PB IX/A/90	PRF0091763B	206,00 €
MISSY BL/A/60	PRF0151543	167,00 €
MISSY BL/A/90	PRF0151544	186,00 €



VEGA

ELICA DESIGN CENTER

60 - 90 cm

Filtrante Filtering

Acciaio inox

Stainless steel



CM 50




CM 65



Ø125



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	272 m³/h
Livello sonoro min-max Noise level min-max	52 - 71 db(A)
Assorbimento totale Total absorption	121 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone incluso Charcoal filter included

Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140064	27,00 €
Kit camino +200 Chimney kit +200	KIT00778A	85,00 €
Kit camino +420 Chimney kit +420	KIT00779A	101,00 €

MODELLI MODELS


VEGA 60 IX	56111002C	261,00 €
VEGA ST IX F/90	56111004B	271,00 €



ACUTA

ELICA DESIGN CENTER

100 cm
Filtrante Filtering
Acciaio inox, nero
Stainless steel, black



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	441 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	625 m³/h
Livello sonoro min-max Noise level min-max	46 - 60 db(A)
Assorbimento totale Total absorption	210 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €

MODELLI MODELS



ACUTA IX/F/100	PRF0121267A	1.105,00 €
ACUTA BL/F/100	PRF0127462A	1.105,00 €



HYDRA

ELICA DESIGN CENTER

100 cm
Filtrante Filtering
Acciaio inox
Stainless steel



ILLUMINAZIONE LIGHTING	
Tipo Type	Led 4x2,5 W
Intensità Intensity	441 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	496 m³/h
Livello sonoro min-max Noise level min-max	46 - 68 db(A)
Assorbimento totale Total absorption	170 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140122	32,00 €

MODELLI MODELS		
HYDRA ANG IX F/100	1608046A	1.359,00 €



SYNTHESIS

ELICA DESIGN CENTER

100 cm
Aspirante Duct-out
Acciaio inox + vetro
Stainless steel + glass



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	441 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Control ball 3V+I 3S+B Control ball
Portata intensiva Booster airflow	559 m³/h
Livello sonoro min-max Noise level min-max	44 - 63 db(A)
Assorbimento totale Total absorption	185 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

SYNTHESIS IX A/100	64214507A	1.625,00 €
--------------------	-----------	------------



RUBINO CORNER

ELICA DESIGN CENTER

100 cm
Aspirante Duct-out
Acciaio inox
Stainless steel



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	121 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	42 - 64 db(A)
Assorbimento totale Total absorption	186 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140124	38,00 €
--------------------------------	------------	---------

MODELLI MODELS

RUBINO ANG IX A/100 IX	56811101C	834,00 €
------------------------	-----------	----------





ISLAND MOUNTED

Le cappe a isola Elica sono veri e propri complementi in grado di riflettere il nostro personale stile e di dare carattere all'ambiente. Grazie alla loro estrema versatilità e modularità possono essere composte secondo i propri gusti, ponendosi come elemento distintivo e cuore della cucina. Legno, acciaio, vetro: molteplici possibilità che ci rendono i designer della nostra cucina, per uno stile unico. Progettate per emozionare.

Elica island hoods are genuine design accessories which reflect personal style and add character to the kitchen. Thanks to their extreme versatility and modularity, they can be composed based on your personal tastes and used as a statement feature in the kitchen. Wood, steel and glass: a whole host of possibilities which turn us into our own kitchen designers creating a unique style. Designed to thrill.

HAIKU ISLAND

DESIGN FABRIZIO CRISÀ









HAIKU ISLAND

DESIGN FABRIZIO CRISÀ



32x32 - 120x32 - 180x32 cm

Aspirante Duct-out

Vetro nero, Krypton bianco, Acciaio inox

Black glass, white Krypton, stainless steel



LONG LIFE
FILTER



COMFORT
SILENCE



SPECIAL
MATERIAL



CM 50



CM 65



Ø150



ENERGY
CLASS
(A+++/D)

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	34 - 51 db(A)
Assorbimento totale Total absorption	277 W


Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

HAIKU ISLAND IX/A/32	PRF0146277	986,00 €
HAIKU ISLAND IX/A/120	PRF0146279	1.530,00 €
HAIKU ISLAND IX/A/180	PRF0146280	1.860,00 €
HAIKU ISLAND BL/A/32	PRF0146285	1.256,00 €
HAIKU ISLAND BL/A/120	PRF0146286	1.805,00 €
HAIKU ISLAND BL/A/180	PRF0146287	2.133,00 €
HAIKU ISLAND WH/A/32	PRF0146289	1.256,00 €
HAIKU ISLAND WH/A/120	PRF0146290	1.805,00 €
HAIKU ISLAND WH/A/180	PRF0146291	2.133,00 €





BIO ISLAND

DESIGN FABRIZIO CRISÀ







BIO ISLAND

DESIGN FABRIZIO CRISÀ



reddot award 2017
winner



DESIGN
AWARD
2017



120x52 cm

Aspirante Duct-out

Rovere naturale + bianco effetto soft touch

Natural oak + white soft touch effect



SPECIAL
MATERIAL



LONG LIFE
FILTER ++



COMFORT
SILENCE



TUNE WHITE



CM 50




CM 65



Ø150



A+
ENERGY
CLASS
(A+++/D)



La cornice è un multistrato con rivestimento di 10 mm di rovere massello per evitare il fenomeno della dilatazione dovuta allo shock termico. Nella sua parte superiore è presente un supporto per tablet e smartphone e una presa USB a doppia porta. Bio è altamente versatile grazie alla mensola da 60 cm che permette di completare esteticamente il prodotto a proprio piacimento come estensione del corpo cappa o come elemento di arredo indipendente.

The frame is made from plywood with a 10 mm solid oak finish to prevent expansion phenomena caused by thermal shock. The top part features a support for tablets and smartphones, along with a double USB port. Bio is highly versatile thanks to its 60 cm shelf, allowing the product to be aesthetically completed however one prefers, whether as an extension of the hood body or independent furnishing element.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	757 m ³ /h
Livello sonoro min-max Noise level min-max	32 - 60 db(A)
Assorbimento totale Total absorption	324 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Kit prima installazione filtrante HP First installation HP filtering kit	KIT0160440	315,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €
Filtro carbone rigenerabile HP Regenerable charcoal HP filter	CFC0140091	290,00 €
Kit mensola isola rovere 60cm + 2 cavi Oak island shelf kit 60cm + 2 cables	KIT0120947	293,00 €
Kit 2 cavi mensola (1,7m) Cables shelf kit 2pcs (1,7m)	KIT0120948	92,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €

MODELLI MODELS

BIO ISLAND WH/A/120X53 ROVERE	PRF0148081	2.105,00 €
-------------------------------	------------	------------





METEORITE ISLAND

DESIGN FABRIZIO CRISÀ

120x60 cm

Aspirante Duct-out

Acciaio inox + vetro nero

Stainless steel + black glass



EASY TO
MAINTAIN



MULTI-D
CAPTURE



LONG LIFE
FILTER ++



COMFORT
SILENCE



TUNE WHITE



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	85 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+2I 3S+2B Capacitive touch control
Portata intensiva Booster airflow	800 m³/h
Livello sonoro min-max Noise level min-max	31 - 60 db(A)
Assorbimento totale Total absorption	324 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Kit prima installazione filtrante HP First installation HP filtering kit	KIT0160440	315,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €
Filtro carbone rigenerabile HP Regenerable charcoal HP filter	CFC0140091	290,00 €

MODELLI MODELS

METEORITE ISLAND IX/A/120x60	PRF0148122	1.990,00 €
------------------------------	------------	------------





MOON ISLAND

ELICA DESIGN CENTER

90x57 - 120x57 - 175x73 cm

Aspirante Duct-out - Filtrante Filtering (180cm)

Acciaio Inox

Stainless steel



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Neon 2x21 W (90cm) - Neon 2x28 W (120cm) - Neon 4x21 W (180cm)
Intensità Intensity	172 (90cm) - 230 (120cm) - 176 (180cm) LUX
Temperatura Temperature	6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	52 - 68 db(A)
Assorbimento totale Total absorption	302 (90cm) W - 316 (120cm) W 344 (180cm) W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso (180cm) Charcoal filter included (180cm)
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

MOON IS IX/A/60X90	PRF0093507A	1.526,00 €
MOON IS IX/A/60X120	PRF0093541A	1.760,00 €
MOON ISLAND IX/F/180	PRF0079552A	2.132,00 €





ADÉLE ISLAND

DESIGN FABRIZIO CRISÀ

90x60 cm

Aspirante Duct-out

Acciaio inox + vetro nero, nero effetto soft touch + vetro nero

Stainless steel + black glass, black soft touch effect + black glass



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	309 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	770 m³/h
Livello sonoro min-max Noise level min-max	55 - 69 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included

Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS


ADÉLE IS BLIX/A/90 X 60	PRF0167313	1.155,00 €
ADÉLE IS BL MAT/A/90 X 60	PRF0167316	1.155,00 €



JOY ISLAND

ELICA DESIGN CENTER

90x61 cm
Aspirante Duct-out
Acciaio inox + vetro nero, acciaio inox + vetro bianco
Stainless steel + black glass, stainless steel + white glass



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	761 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	713 m³/h
Livello sonoro min-max Noise level min-max	51 - 69 db(A)
Assorbimento totale Total absorption	270 W


Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

JOY ISLAND BLIX/A/90	PRF0104628A	1.160,00 €
JOY ISLAND WHIX/A/90	PRF0104629A	1.160,00 €



GALAXY ISLAND

ELICA DESIGN CENTER

90x45 cm

Aspirante Duct-out

Acciaio inox + vetro nero, acciaio inox + vetro bianco

Stainless steel + black glass, stainless steel + white glass



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	290 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	647 m³/h
Livello sonoro min-max Noise level min-max	52 - 69 db(A)
Assorbimento totale Total absorption	270 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

GALAXY ISLAND BLIX/A/90x45	PRF0017852B	1.273,00 €
GALAXY ISLAND WHIX/A/90x45	PRF0019192B	1.273,00 €



IKONA

DESIGN FABRIZIO CRISÀ







IKONA

DESIGN FABRIZIO CRISÀ

60x44cm

Aspirante Duct-out

Nero effetto soft touch Black soft touch effect



EASY TO
MAINTAIN



LONG LIFE
FILTER



MULTI-D
CAPTURE



CM 50




CM 60



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	421 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m ³ /h
Livello sonoro min-max Noise level min-max	47 - 62 db(A)
Assorbimento totale Total absorption	267 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €

MODELLI MODELS

IKONA BL MAT/A/60	PRF0164784	1.200,00 €
-------------------	------------	------------



THIN ISLAND

DESIGN FABRIZIO CRISÀ

120x57 cm
Aspirante Duct-out
Acciaio inox Stainless steel



LONG LIFE FILTER



COMFORT SILENCE



CM 50




CM 65



Ø150



ENERGY CLASS (A++/D)



ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 2x7 W	
Intensità Intensity	253 LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control	
Portata intensiva Booster airflow	680 m³/h	
Livello sonoro min-max Noise level min-max	34 - 52 db(A)	
Assorbimento totale Total absorption	284 W	
Filtro grassi alluminio incluso Grease aluminium filter included Camino incluso Chimney included		
ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €
MODELLI MODELS		
THIN ISLAND IX/A/120	PRF0144973	1.208,00 €



SPOT PLUS ISLAND

ELICA DESIGN CENTER

90x60 cm

Aspirante Duct-out

Acciaio inox Stainless steel



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	761 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con LCD 3V+I 3S+B Electronic push button with LCD
Portata intensiva Booster airflow	620 m³/h
Livello sonoro min-max Noise level min-max	52 - 67 db(A)
Assorbimento totale Total absorption	210 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

SPOT PLUS ISLAND IX/A/90	PRF0097375A	1.115,00 €
--------------------------	-------------	------------



TRIBE ISLAND

ELICA DESIGN CENTER

90x60 cm
Aspirante Duct-out
Acciaio inox + vetro
Stainless steel + glass



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

TRIBE A ISLAND IX/A/90X60	PRF0150293	1.035,00 €
---------------------------	------------	------------



REEF ISLAND

ELICA DESIGN CENTER

90x60 cm

Aspirante Duct-out

Acciaio inox + vetro

Stainless steel + glass



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m ³ /h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	35,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €

MODELLI MODELS

REEF A ISLAND IX/A/90X60	PRF0150290	1.035,00 €
--------------------------	------------	------------



TUBE PRO ISLAND

ELICA DESIGN CENTER

Ø43 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch, bianco effetto soft touch
Stainless steel, black soft touch effect, white soft touch effect



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	47 - 68 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423	55,00 €
Kit prolunga installazione isola H15 Island installation extension kit H15	KIT01600	105,00 €

MODELLI MODELS

TUBE PRO ISLAND IX/A/43	PRF0044794B	1.474,00 €
TUBE PRO ISLAND BL MAT/A/43	PRF0090717B	1.474,00 €
TUBE PRO ISLAND WH MAT/A/43	PRF0090718B	1.474,00 €



KUADRA ISLAND

ELICA DESIGN CENTER

43x43 - 60x43 cm

Aspirante Duct-out

Acciaio inox

Stainless steel



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	496 m³/h
Livello sonoro min-max Noise level min-max	48 - 62 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423	55,00 €
Kit prolunga installazione isola H15 Island installation extension kit H15	KIT01600	105,00 €

MODELLI MODELS

KUADRA ISLAND IX/A/43	PRF0007655A	1.203,00 €
KUADRA ISLAND IX/A/60	PRF0007028A	1.284,00 €





CEILING

Vogliamo una casa che ci rispecchi, in cui ogni singolo accessorio sia espressione del nostro io. Dal cavo colorato, alla lampadina d'atmosfera. Vogliamo soluzioni in grado di stupirci e di stupire.

Le cappe ceiling Elica sono la soluzione discreta che può scomparire nel soffitto o diventare protagonista grazie alla luce. Un progetto di architettura e illuminotecnica che unisce le migliori tecnologie di aspirazione a un sapiente utilizzo della luce in casa.

We want a home that reflects who we are, in which every single accessory is an expression of ourselves. from the coloured cable to the atmospheric light. We want solutions that surprise us and surprise others.

Elica ceiling hoods are the solution that can discretely disappear into the ceiling or become a key lighting feature. An architectural and lighting project that combines the best extraction technology with an intelligent use of light in the home.

UN NUOVO PUNTO DI LUCE E DI VISTA A NEW POINT OF LIGHT AND VIEW



I più recenti progetti di architettura d'interni vedono il progressivo abbandono della tradizionale cucina intesa come locale a sé stante, in favore di una soluzione a vista inserita all'interno del living. Questo cambio di paradigma ha rivoluzionato anche la progettazione degli elettrodomestici, che hanno beneficiato di una importante trasformazione in termini di design estetico e funzionale.

In uno scenario dove poniamo molta attenzione alla perfetta integrazione tra tutti gli elementi che arredano un unico ambiente, la luce assume un grande valore nel garantire equilibrio e omogeneità agli spazi. La visione di insieme è così fluida e ininterrotta.

The latest interior architectural projects have seen the gradual shift away from traditional kitchens in terms of just a room, in favour of an open-space solution included in a living area. This change of layout has also revolutionised the design of electrical appliances which have benefited from a major transformation in terms of aesthetic and functional design.

In a setting in which significant importance is placed on the perfect integration between all the elements which furnish a single area, light becomes paramount in guaranteeing balance and uniformity to spaces. The overall vision thus becomes fluid and seamless.

Le cappe ceiling Elica sono disegnate per integrarsi perfettamente nelle superfici in cui vengono inserite. Nei ricercati modelli proposti, la luce gioca un ruolo fondamentale all'interno del progetto architettonico complessivo: i pannelli luminosi disegnano lo spazio, creando non solo atmosfere personalizzate, ma impalpabili volumi aerei, che possono diventare protagonisti dell'ambiente o sparire discreti a soffitto quando spenti. Come vere finestre a soffitto, le cappe Elica assicurano elevate performance di aspirazione e la migliore illuminazione possibile, grazie all'utilizzo di led dimmerabili e alla funzione Tune White, che permette di regolare il colore della luce in base ai propri gusti e necessità.

A comporre la gamma ceiling, prodotti dall'alto valore tecnologico ed estetico: Hilight, dal design elegante e moderno, Illusion, la soluzione rivestibile pensata per scomparire come una vera illusione nel soffitto, Skydome, con le sue linee pulite e discrete e caratterizzata dal grande pannello luminoso e Lullaby, un vero progetto di architettura, materia e luce che diventa protagonista della cucina.



Elica ceiling extractor hoods are designed to integrate seamlessly into the surfaces in which they are inserted. In the sophisticated models on offer, light plays a fundamental role in the overall architectural project. The illuminated panels outline the space, creating not just personalised atmospheres, but imperceptible aerial volumes which can become a signature feature in the room or blend discretely into the ceiling when not in use. Like real windows in the ceiling, Elica hoods provide exceptional extraction performance and the best lighting possible through the use of dimmer lights and the Tune White function

which allows the colour of the light to be adjusted based on personal tastes and requirements.


The ceiling range consists of products with a high technological and aesthetic value: Hilight, with its elegant and modern design; Illusion, the paintable solution which gives the illusion of disappearing into the ceiling; Skydome, with its clean, discrete lines featuring signature large illuminated panel and Lullaby, an authentic architectural project featuring material and light which stamp their mark on the kitchen.

S.E.I. SYSTEM


Grazie al sistema brevettato Super Easy Installation, inoltre, per montare il prodotto bastano pochi e semplici passaggi, che assicurano totale sicurezza e l'integrità della controsoffittatura.

Thanks to the patented Super Easy Installation system, just a few simple steps are all that it takes to complete the safe installation of the hood without affecting the false ceiling.

Avvicinare il prodotto al vano nel controsoffitto.
Bring the product to the compartment in the false ceiling.




Spingere il prodotto nell'apertura praticata.
Push the product into the practical opening.



Le staffe bloccano il prodotto nel controsoffitto.
The brackets hold the product in the false ceiling.

Stringere le viti per il definitivo fissaggio del prodotto.
Tighten the screws to definitively fix the product.



Disponibile per i modelli: Illusion, Skydome, Hilight Glass e Hilight-X.

Available for models: Illusion, Skydome, Hilight Glass and Hilight-X.

INSTALLAZIONE SALVASPAZIO SPACE-SAVING INSTALLATION

INSTALLAZIONE H30
H30 INSTALLATION



INSTALLAZIONE H16
H16 INSTALLATION



Il potente cuore aspirante rimane integrato nel controsoffitto e assicura un'elevata captazione dei fumi. Nate per essere installate ovunque, le cappe ceiling di Elica si adattano perfettamente anche ai soffitti meno alti: sono infatti disponibili in duplice altezza, da 30 cm o da 16 cm.

The powerful extractor fan is integrated in the false ceiling and ensures an excellent level of fume extraction. Designed to be installed anywhere, Elica ceiling hoods adapt perfectly even to lower ceilings. They are, in fact, available in two heights, 30 cm and 16 cm.

ACCESSORI LUCE

LIGHTING ACCESSORIES

Le cappe ceiling Elica sono dotate di lampade led ad alta intensità. Nella maggior parte dei modelli è possibile regolare il livello di luminosità e la tonalità di bianco preferita, in base al momento della giornata o delle proprie necessità. Una luce più fredda sarà perfetta per preparare al meglio le portate, mentre potremo sceglierne una più calda per ricreare un'atmosfera intima durante una cena.

Come un vero e proprio lampadario, la cappa può essere comandata anche con interruttore a parete dell'impianto domestico o con un telecomando che potremo tenere appeso a parete attraverso un pratico magnete.

Elica ceiling hoods are fitted with high-intensity LED lights. The luminosity and white tone can be adjusted on all the models depending on the time of day or personal requirements. A colder light is perfect when preparing meals while a warmer light is just what you need to create an intimate atmosphere during dinner.

Just like a real ceiling light, the hood can also be controlled with a wall switch or a remote control which can be attached to the wall with a handy magnet.



Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato. Disponibile per i modelli: Lullaby@, Illusion, Skydome et Hilight Glass.

Any type of commercially available light can also be connected. Available for models: Lullaby@, Illusion, Skydome en Hilight Glass.





LULLABY@
DESIGN FABRIZIO CRISÀ





LULLABY@

DESIGN FABRIZIO CRISÀ

ELICA CONNECT



120x65 cm

Aspirante/Filtrante Duct-out/Filtering

WH WOOD: legno laccato bianco + acciaio inox

WOOD: rovere naturale + bianco effetto soft touch

WH WOOD: white lacquered wood + stainless steel

WOOD: natural oak + White soft touch effect




Modello installabile senza necessità di interventi su cartongesso o tubazioni aggiuntive (Lullaby Filtrante). Il pannello luminoso centrale full LED è avvolto in una

cornice in legno di rovere invecchiato disponibile in due finiture. Disponibili come accessori le mensole in coordinato e possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.


The model can be installed without the need for work on plasterboard or additional pipes (Lullaby Filter).

The central full LED light panel is surrounded by a distressed oak frame, available in two finishes. The coordinated shelves are available as accessories and any type of commercially available light can also be connected.

ASPIRANTE



FILTRANTE



FALSE CEILING CUT 470X960



CONNECTIVITY



LONG LIFE FILTER ++



LONG LIFE FILTER



COMFORT SILENCE



TUNE WHITE



DIM LIGHT



SPECIAL MATERIAL



ENERGY CLASS (A++/D)

ILLUMINAZIONE LIGHTING

Tipo Type	Led Panel 28W
Intensità Intensity	1683 LUX
Temperatura Temperature	2700 K - 5000 K

PERFORMANCE PERFORMANCE

	Aspirante Duct-out	Filtrante Filtering
Comandi Controls	Radiocomando 3V + 2I 3S + 2B Remote control	Radiocomando 3V + 2I 3S + 2B Remote control
Portata intensiva Booster airflow	770 m³/h	470 m³/h
Livello sonoro min-max Noise level min-max	40 - 53 db(A)	44 - 63 db(A)
Assorbimento totale Total absorption	298 W	568 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro in ceramica anti-odori incluso (*) Ceramic odour filter included (*)

Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro in ceramica anti-odori Ceramic odour filter	KIT0147861A	260,00 €
Kit filtrante H30 Filtering kit H30	KIT0148449	60,00 €
Kit filtrante high performance High performance filtering kit	KIT0148450A	368,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Kit mensola bianca White shelf kit	KIT0147859	325,00 €
Kit mensola rovere Oak shelf kit	KIT0147858	325,00 €

MODELLI MODELS

LULLABY @ WH WOOD/A/120	PRF0167048	2.310,00 €
LULLABY @ WH WOOD/F/120 (*)	PRF0167049	2.468,00 €
LULLABY @ WOOD/A/120	PRF0167046	2.310,00 €
LULLABY @ WOOD/F/120 (*)	PRF0167047	2.468,00 €

Modello non soggetto a certificazione energetica obbligatoria. (*)

Model not subject to compulsory energy certification. (*)





SKYDOME

DESIGN FABRIZIO CRISÀ



TOTAL
INTEGRATION



LONG LIFE
FILTER ++



LONG LIFE
FILTER



SUPER EASY
INSTALLATION



COMFORT
SILENCE



TUNE WHITE



DIM LIGHT



ENERGY
CLASS
A+++

100x50 cm

Aspirante Duct-out


Cornice bianca White frame



L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli


sonori. Il pannello full LED può essere controllato da un interruttore a parete o radiocomando per regolare intensità e colore della luce. Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato. The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. The full LED panel can be controlled by a wall-mounted switch or remote control to adjust the intensity and colour of the light. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR



FALSE CEILING CUT 480X980

H30



FALSE CEILING CUT 480X980

ILLUMINAZIONE LIGHTING

Tipo Type	Led Panel 28W
Intensità Intensity	1683 LUX
Temperatura Temperature	2700 K - 5000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Radiocomando 3V+2L 3S+2B Remote control	
	H16	H30
Portata intensiva Booster airflow	720 m³/h	770 m³/h
Livello sonoro min-max Noise level min-max	51 - 68 db(A)	40 - 53 db(A)
Assorbimento totale Total absorption	303 W	298 W

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449	60,00 €
Kit filtrante high performance High performance filtering kit	KIT0148450A	368,00 €
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	179,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Motore remoto interno Remote internal motor	KIT0147879	1.073,00 €
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.408,00 €
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.491,00 €
Motore remoto esterno (tetto inclinato) Remote external motor (inclined roof)	KIT0147882	2.046,00 €
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	32,00 €

MODELLI MODELS

SKYDOME H16 A/100	PRF0147735A	1.841,00 €
SKYDOME H30 A/100	PRF0146232A	1.841,00 €
SKYDOME NO MOTOR A/100	PRF0146230	1.517,00 €

Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando incluso Remote control included

ILLUSION

DESIGN FABRIZIO CRISÀ









ILLUSION

DESIGN FABRIZIO CRISÀ



TOTAL
INTEGRATION



LONG LIFE
FILTER ++



LONG LIFE
FILTER



SUPER EASY
INSTALLATION



COMFORT
SILENCE



TUNE WHITE



DIM LIGHT



Ø150



ENERGY
CLASS
(A++/D)

100x50 cm

Aspirante Duct-out

Bianco + cornice bianca, rivestibile con cartongesso (non incluso) + cornice acciaio inox, nero effetto soft touch + cornice nera soft touch
White + white frame, coverable with drywall (not included) + stainless steel frame, black soft touch effect + black soft touch frame




Modello unico e personalizzabile con cartongesso. Il cartongesso non è compreso nella confezione. L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori.

Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.


Unique and customisable model ready for cladding with gypsum panels. The gypsum panels are not included in the packaging. The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR



FALSE CEILING CUT 480X980

H30



FALSE CEILING CUT 480X980

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x14 W
Intensità Intensity	563 LUX
Temperatura Temperature	2700 K - 5000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Radiocomando 3V+2I 3S+2B Remote control	
	H16	H30
Portata intensiva Booster airflow	720 m³/h	770 m³/h
Livello sonoro min-max Noise level min-max	51 - 68 db(A)	40 - 53 db(A)
Absorbimento totale Total absorption	303 W	298 W

Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449	60,00 €
Kit filtrante high performance High performance filtering kit	KIT0148450A	368,00 €
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	179,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Motore remoto interno Remote internal motor	KIT0147879	1.073,00 €
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.408,00 €
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.491,00 €
Motore remoto esterno (tetto inclinato) Remote external motor (inclined roof)	KIT0147882	2.046,00 €
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	32,00 €

MODELLI MODELS

ILLUSION H30 WH/A/100	PRF0146251A	1.625,00 €
ILLUSION H16 WH/A/100	PRF0147727A	1.625,00 €
ILLUSION NO MOTOR WH/A/100	PRF0146253	1.300,00 €
ILLUSION H30 BL MAT/A/100	PRF0172646A	1.625,00 €
ILLUSION H16 BL MAT/A/100	PRF0172645A	1.625,00 €
ILLUSION NO MOTOR BL MAT/A/100	PRF0172647	1.300,00 €
ILLUSION H30 PAINT/A/100	PRF0146250A	1.625,00 €
ILLUSION H16 PAINT/A/100	PRF0147726A	1.625,00 €
ILLUSION NO MOTOR PAINT/A/100	PRF0146252	1.300,00 €





HILIGHT GLASS

DESIGN FABRIZIO CRISÀ



TOTAL
INTEGRATION



LONG LIFE
FILTER ++



LONG LIFE
FILTER



SUPER EASY
INSTALLATION



COMFORT
SILENCE



TUNE WHITE



DIM LIGHT



Ø150



ENERGY
CLASS
(A++/D)

100x57 cm

Aspirante Duct-out

Vetro bianco + cornice bianca

White glass + white frame




L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli

sonori. Le strip LED possono essere controllate da un interruttore a parete o radiocomando per regolare intensità e colore della luce. Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.


The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. The LED strips can be controlled by a wall-mounted switch or remote control to adjust the intensity and colour of the light. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR



FALSE CEILING CUT 550X980

H30



FALSE CEILING CUT 550X980

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x14 W
Intensità Intensity	563 LUX
Temperatura Temperature	2700 K - 5000 K

PERFORMANCE PERFORMANCE

	H16	H30
Comandi Controls	Radiocomando 3V + 2I 3S + 2B Remote control	Radiocomando 3V + 2I 3S + 2B Remote control
Portata intensiva Booster airflow	720 m³/h	770 m³/h
Livello sonoro min-max Noise level min-max	51 - 68 db(A)	42 - 58 db(A)
Absorbimento totale Total absorption	189 W	184 W

Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449	60,00 €
Kit filtrante high performance High performance filtering kit	KIT0148450A	368,00 €
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	179,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Motore remoto interno Remote internal motor	KIT0147879	1.073,00 €
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.408,00 €
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.491,00 €
Motore remoto esterno (tetto inclinato) Remote external motor (inclined roof)	KIT0147882	2.046,00 €
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	32,00 €

MODELLI MODELS

HILIGHT GLASS H30 WH/A/100	PRF0146246A	1.625,00 €
HILIGHT GLASS H16 WH/A/100	PRF0167044A	1.625,00 €
HILIGHT GLASS NO MOTOR WH/A/100	PRF0146248	1.300,00 €





HILIGHT-X

DESIGN FABRIZIO CRISÀ



TOTAL
INTEGRATION



LONG LIFE
FILTER ++



LONG LIFE
FILTER



SUPER EASY
INSTALLATION



DIM LIGHT



Ø150



ENERGY
CLASS
(A+++/D)

100x57 cm


Aspirante Duct-out

Acciaio inox, bianco, nero effetto soft touch
Stainless steel, white, black soft touch effect




L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori. The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels.

H16 - NO MOTOR



FALSE CEILING CUT 550X980

H30



FALSE CEILING CUT 550X980

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	281 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

	H16	H30
Comandi Controls	Radiocomando 3V + 2I 3S + 2B Remote control	Radiocomando 3V + 2I 3S + 2B Remote control
Portata intensiva Booster airflow	720 m³/h	780 m³/h
Livello sonoro min-max Noise level min-max	51 - 68 db(A)	31 - 63 db(A)
Assorbimento totale Total absorption	202 W	324 W

Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449	60,00 €
Kit filtrante high performance High performance filtering kit	KIT0148450A	368,00 €
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	179,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Motore remoto interno Remote internal motor	KIT0147879	1.073,00 €
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.408,00 €
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.491,00 €
Motore remoto esterno (tetto inclinato) Remote external motor (inclined roof)	KIT0147882	2.046,00 €
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	32,00 €

MODELLI MODELS

HILIGHT-X H30 IX/A/100	PRF0163520A	1.470,00 €
HILIGHT-X H16 IX/A/100	PRF0167045A	1.470,00 €
HILIGHT-X NO MOTOR IX/A/100	PRF0163523	1.192,00 €
HILIGHT-X H30 WH/A/100	PRF0173444A	1.470,00 €
HILIGHT-X H16 WH/A/100	PRF0173442A	1.470,00 €
HILIGHT-X H30 BL MAT/A/100	PRF0173445A	1.470,00 €
HILIGHT-X H16 BL MAT/A/100	PRF0173443A	1.470,00 €



FILTRANTE



ASPIRANTE



CLOUD SEVEN

DESIGN FABRIZIO CRISÀ

90 cm


Aspirante/Filtrante Duct-out/Filtering

Acciaio inox + bianco Stainless steel + white




Modello Plug&Play, installabile facilmente, senza necessità di interventi su cartongesso o tubazioni aggiuntive (Cloud Seven Filtrante). Plug&Play model, easy-to-install, no need for building work on gypsum panels or additional pipes (Cloud Seven Filter).

ASPIRANTE



FILTRANTE



FALSE CEILING CUT 480X880



LONG LIFE FILTER



Ø150



ENERGY CLASS (A+++/D)

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	393 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi Controls	Radiocomando 3V + 2I 3S + 2B Remote control	Radiocomando 3V + I 3S + B Remote control
Portata intensiva Booster airflow	770 m³/h	570 m³/h
Livello sonoro min-max Noise level min-max	43 - 60 db(A)	52 - 70 db(A)
Assorbimento totale Total absorption	284 W	214 W

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140426	85,00 €
Kit filtrante high performance High performance filtering kit	KIT0148450A	368,00 €
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	179,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €

MODELLI MODELS

CLOUD SEVEN IX/F/90 (*)	PRF0141953	1.083,00 €
CLOUD SEVEN IX/A/90	PRF0142094A	1.083,00 €

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone rigenerabile incluso (*) Regenerable charcoal filter included (*)

Radiocomando incluso Remote control included

Modello non soggetto a certificazione energetica obbligatoria. (*)

Model not subject to compulsory energy certification. (*)

ACCESSORI TUBAZIONI CEILING CEILING PIPE FITTING ACCESSORIES




222x89x1000 mm
KIT0120991 42,00 €



222x89x500 mm
KIT0173527 32,00 €




Ø146 - 227x94 mm
KIT0121007 33,00 €



90° - 227x288x94 mm
KIT0121004 37,00 €




90° - 227x94 mm
KIT0121005 33,00 €



int 216x82 / est 290x160 mm
KIT0121009 221,00 €



227x94x80 mm
KIT0121001 14,00 €



Ø153 - 227x94 mm
KIT0121008 31,00 €



Ø150x500 mm
KIT0120996 27,00 €



Ø150x1000 mm
KIT0121000 48,00 €



Ø158x59 mm
KIT0121003 10,00 €



90° - Ø157
KIT0121006 39,00 €




Ø150x3000 mm
1052AD 45,00 €




Ø152x1000 mm
KIT0161455 42,00 €



227x94 mm
KIT0126810 114,00 €



Ø147 - 190x190 mm
KIT0121010 217,00 €



50 mm x 25 m
KIT0161453 37,00 €



Ø150x240 mm
KIT0161457 105,00 €

Per evitare la creazione di condensa e il ritorno della stessa verso la fonte di espulsione dell'aria, consigliamo di installare questo componente lungo la condotta di uscita, facendo attenzione di posizionarlo in orizzontale per assicurarne un corretto funzionamento.

Nel caso di gruppo motore remoto INLINE l'accessorio deve essere installato dopo il motore stesso.

To avoid the formation of condensate and the flowback towards the source of air output, we advise installing this component along the outlet pipe, taking care to position it horizontally to ensure correct operation.

The accessory must be installed on the motor if there is an INLINE remote motor unit.

KIT FILTRI CARBONE CARBON FILTERS KIT



Disponibile per Available for
 CLOUD SEVEN VERS. ASPIRANTE
 HILIGHT X H16
 HILIGHT GLASS H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30

Kit filtrante rigenerabile H16-H30
 Regenerable filter kit H16-H30

KIT0167743 179,00 €



Disponibile per Available for
 CLOUD SEVEN VERS.ASPIRANTE
 HILIGHT X H16
 HILIGHT GLASS H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30

Filtro carbone rigenerabile per
 KIT0167743
 Regenerating carbon filter for
 KIT0167743

KIT0168748 48,00 €



Disponibile per Available for
 CLOUD SEVEN VERS. ASPIRANTE
 HILIGHT X H16
 HILIGHT W H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30
 LULLABY@ VERS.ASPIRANTE.

Kit filtrante high performance
 prima installazione H16-H30
 High performance filtering kit
 H16-H30

KIT0148450A 368,00 €



Disponibile per Available for
 CLOUD SEVEN VERS.ASPIRANTE
 HILIGHT X H16
 HILIGHT GLASS H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30
 LULLABY@ VERS. ASPIRANTE

Filtro carbone high performance
 per KIT0148450A
 High performance carbon filter
 for KIT0148450A

KIT0168749 231,00 €



Filtro in ceramica anti-odori
 Ceramic odour filter

KIT0147861A 260,00 €


Disponibile per Available for
 LULLABY@ VERS.FILTRANTE



Filtro carbone rigenerabile
 Regenerable charcoal filter

CFC0140426 85,00 €

Disponibile per Available for
 CLOUD SEVEN VERS.FILTRANTE



Kit filtrante H30
 Recycling kit H30

KIT0148449 60,00 €

Disponibile per Available for
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H30
 SKYDOME H30
 LULLABY@ VERS. ASPIRANTE



SUSPENDED

La leggerezza della luce si accosta a potenti cuori aspiranti per dar vita a prodotti dall'alto valore estetico. Cappe che diventano scenografici lampadari in grado non solo di arredare l'ambiente, ma di garantire il migliore trattamento dell'aria, grazie a filtri di ultima generazione. Il sapiente utilizzo dei materiali permette di integrarsi in ogni ambiente e di caratterizzarlo: dal sofisticato e luminoso cristallo, perfetto per spazi eleganti e preziosi, al rame lucido o alla finitura ruggine, ideale per lo stile industrial. Punti luce inaspettati, in grado di sorprendere.

The elegance of the light is combined with powerful extraction units to produce attractive eye-catching hoods. Hoods that become spectacular ceiling lights that not only furnish the kitchen, but guarantee the best air treatment, thanks to the latest generation of filters. The skilful use of materials allows it to fit seamlessly into any environment and yet, make a statement: from the sophisticated and luminous glass, perfect for elegant and refined spaces, to the polished copper or rust finish, ideal for an industrial look. Unexpected points of light, for a wow factor.





INTERSTELLAR

DESIGN FABRIZIO CRISÀ





INTERSTELLAR

DESIGN FABRIZIO CRISÀ



Ø67 cm

Filtrante Recycling

Acciaio inox lucido + vetro, acciaio inox lucido + vetro nero

Shiny stainless steel + glass, shiny stainless steel + black glass



EASY TO
MAINTAIN



LONG LIFE
FILTER ++



COMFORT
SILENCE



DIM LIGHT



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	261 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	384 m³/h
Livello sonoro min-max Noise level min-max	36 - 54 db(A)
Assorbimento totale Total absorption	134 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053	226,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	125,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772	119,00 €

MODELLI MODELS

INTERSTELLAR IX/F/65	PRF0151808	4.092,00 €
INTERSTELLAR BL/F/65	PRF0151809	4.547,00 €





SEASHELL

DESIGN FABRIZIO CRISÀ

Ø80 cm

Filtrante Filtering

Bianco perla, bianco opaco, nero opaco, acciaio inox lucido
Pearl, matt white, matt black, shiny stainless steel



LONG LIFE
FILTER




CM 50



CM 65



Ø150



ILLUMINAZIONE LIGHTING

Tipo Type	Neon 4x24 W
Intensità Intensity	1386 LUX
Temperatura Temperature	6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Radiocomando 3V+I 3S+B Remote control
Portata intensiva Booster airflow	400 m³/h
Livello sonoro min-max Noise level min-max	55 - 67 db(A)
Assorbimento totale Total absorption	350 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	78,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0067590	131,00 €

MODELLI MODELS

SEASHELL IX/F/80	PRF0098394	2.728,00 €
SEASHELL BL/F/80	PRF0098393	2.673,00 €
SEASHELL WH/F/80	PRF0024262A	2.673,00 €
SEASHELL WH MAT/F/80	PRF0098392	2.673,00 €

Modello non soggetto a certificazione energetica obbligatoria.
Model not subject to compulsory energy certification.



SUMMILUX

DESIGN FABRIZIO CRISÀ







SUMMILUX

DESIGN FABRIZIO CRISÀ



reddot award 2017
winner



Ø 50 cm

Filtrante Recycling

Grigio + vetro bianco, effetto ghisa + vetro bianco

Grey + white glass, cast iron effect + white glass



EASY TO
MAINTAIN



LONG LIFE
FILTER ++



COMFORT
SILENCE



DIM LIGHT



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	261 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	384 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	124 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053	226,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	125,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156	210,00 €
Kit installazione a parete nero Black wall installation kit	KIT0146155	210,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772	119,00 €

MODELLI MODELS

SUMMILUX LIGHT GREY/F/50	PRF0176166	1.800,00 €
SUMMILUX CAST IRON/F/50	PRF0176167	1.800,00 €





SHINING

DESIGN FABRIZIO CRISÀ



SHINING CAST IRON



SHINING CAST IRON



SHINING PELTROX



SHINING RUST



SHINING

DESIGN FABRIZIO CRISÀ

Ø 50 cm

Filtrante Recycling

Metallo effetto: peltrox, ruggine, ghisa

Metal: peltrox, rust, cast iron effect



EASY TO
MAINTAIN



LONG LIFE
FILTER ++



COMFORT
SILENCE



DIM LIGHT



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	541 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	380 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	54 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053	226,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	125,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156	210,00 €
Kit installazione a parete nero Black wall installation kit	KIT0146155	210,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772	119,00 €

MODELLI MODELS

SHINING CAST IRON/F/50	PRF0120590A	2.328,00 €
SHINING PELTROX/F/50	PRF0120497A	2.328,00 €
SHINING RUST/F/50	PRF0120528A	2.328,00 €



ÈDITH

DESIGN FABRIZIO CRISÀ





ÉDITH ROCK



ÉDITH CLASSIC



ÉDITH HEAVY METAL



ÉDITH

DESIGN FABRIZIO CRISÀ



reddot design award
winner 2015



DESIGN
AWARD
2015



Ø 50 cm

Filtrante Recycling

Nero, bianco, acciaio inox lucido

Black, white, shiny stainless steel



EASY TO
MAINTAIN



LONG LIFE
FILTER ++



COMFORT
SILENCE



DIM LIGHT



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	469 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	380 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	54 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053	226,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	125,00 €
Radiocomando bianco White remote control	KIT0121468	80,00 €
Radiocomando nero Black remote control	KIT0121469	80,00 €
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156	210,00 €
Kit installazione a parete nero Black wall installation kit	KIT0146155	210,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772	119,00 €

MODELLI MODELS

EDITH CLASSIC/F/50	PRF0098360	1.841,00 €
EDITH HEAVYMETAL/F/50	PRF0098364	1.949,00 €
EDITH ROCK/F/50	PRF0098361	1.841,00 €



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.



WAVE UX

DESIGN FABRIZIO CRISÀ







WAVE UX

DESIGN FABRIZIO CRISÀ

Ø51 cm

Filtrante Recycling

Acciaio inox, nero effetto soft touch

Stainless steel, black soft touch effect



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 3X2,5 W + Led 4X3 W
Intensità Intensity	451 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	45 - 62 db(A)
Assorbimento totale Total absorption	219,5 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	58,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889	67,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921	119,00 €
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805	206,00 €
Kit installazione a parete nero Black wall installation kit	KIT0175806	206,00 €

MODELLI MODELS

WAVE UX BL MAT/F/51	PRF0171193	1.598,00 €
WAVE UX IX/F/51	PRF0171194	1.598,00 €



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.





EASY UX

DESIGN FABRIZIO CRISÀ

Ø51 cm

Filtrante Recycling

Acciaio inox, nero effetto soft touch, bianco

Stainless steel, black soft touch effect, white



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 3X2,5 W
Intensità Intensity	451 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	45 - 62 db(A)
Assorbimento totale Total absorption	207,5 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	58,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889	67,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921	119,00 €
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805	206,00 €
Kit installazione a parete nero Black wall installation kit	KIT0175806	206,00 €

MODELLI MODELS

EASY UX BL MAT/F/50	PRF0120352A	1.364,00 €
EASY UX IX/F/50	PRF0120354A	1.364,00 €
EASY UX WH/F/50	PRF0119940A	1.364,00 €



PIX

DESIGN FABRIZIO CRISÀ





PIX CONCRETE



PIX WHITE



PIX JEANS



PIX BLACK



PIX

DESIGN FABRIZIO CRISÀ



42x42 cm

Filtrante Recycling

Bianco, nero, finitura cemento, finitura denim

White, black, concrete finish, denim finish



LONG LIFE
FILTER



COMFORT
SILENCE



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	44 - 60 db(A)
Assorbimento totale Total absorption	207 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	KIT0147175	131,00 €
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0146153	92,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0147941	163,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0147942	196,00 €

MODELLI MODELS

PIX BL/F/42	PRF0146220	1.343,00 €
PIX WH/F/42	PRF0145561	1.343,00 €
PIX JEANS/F/42	PRF0146221	1.343,00 €
PIX CONCRETE/F/42	PRF0146222	1.343,00 €



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

IKONA LIGHT

DESIGN FABRIZIO CRISÀ







IKONA LIGHT IX



IKONA LIGHT WH



IKONA LIGHT BL MAT



IKONA LIGHT

DESIGN FABRIZIO CRISÀ

60 cm

Filtrante Filtering

Acciaio inox, nero effetto soft touch, bianco
Stainless steel, black soft touch effect, white



EASY TO
MAINTAIN



CM 50




CM 60



Ø150



ENERGY
CLASS
(A+++/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	421 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	47 - 62 db(A)
Assorbimento totale Total absorption	207 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175807	206,00 €
Kit installazione a parete nero Black wall installation kit	KIT0175808	206,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0147941	163,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0147942	196,00 €

MODELLI MODELS

IKONA LIGHT IX/F/60	PRF0165071	1.155,00 €
IKONA LIGHT BL MAT/F/60	PRF0165082	1.155,00 €
IKONA LIGHT WH/F/60	PRF0165083	1.155,00 €



JUNO WH



JUNO IX




JUNO BL

JUNO

ELICA DESIGN CENTER

Ø 50 cm
Filtrante Recycling
Acciaio inox, bianco, nero
Stainless steel, white, black



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera soft light 3V 3S Soft light push button
Portata massima Max airflow	620 m³/h
Livello sonoro min-max Noise level min-max	45 - 67 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	58,00 €
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805	206,00 €
Kit installazione a parete nero Black wall installation kit	KIT0175806	206,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889	67,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921	119,00 €

MODELLI MODELS

JUNO IX/F/50	PRF0089651D	1.138,00 €
JUNO BL/F/50	PRF0071970D	1.138,00 €
JUNO WH/F/50	PRF0071972D	1.138,00 €



JUNO CAST IRON



JUNO ZINC

JUNO URBAN

ELICA DESIGN CENTER

Ø 50 cm

Filtrante Recycling

Metallo effetto ghisa, metallo effetto zincato

Cast iron effect metal, zinc coating effect metal



EASY TO
MAINTAIN



LONG LIFE
FILTER



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera soft light 3V 3S Soft light push button
Portata massima Max airflow	620 m³/h
Livello sonoro min-max Noise level min-max	45 - 67 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	58,00 €
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805	206,00 €
Kit installazione a parete nero Black wall installation kit	KIT0175806	206,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889	67,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921	119,00 €

MODELLI MODELS

JUNO URBAN CAST IRON/F/50	PRF0147728B	1.138,00 €
JUNO URBAN ZINC/F/50	PRF0147730B	1.138,00 €



DOWNDRAFT

La discrezione di linee pulite e finiture che scompaiono nel top, integrandosi perfettamente con la superficie in cui sono progettate, caratterizza le cappe downdraft di Elica. Un meccanismo up&down che assicura elevate performance di aspirazione quando la cappa viene azionata, per poi scomparire nel top quando viene spenta, regalando un design lineare e fluido alla cucina.

Grazie al motore remoto, l'armonia dell'ambiente non viene disturbata dal rumore del potente cuore aspirante. Per il massimo comfort.

The discretion of clean lines and finishes that disappear into the countertop, lying flush to the surface on which they are designed, is the hallmark of Elica's downdraft hoods. An up&down mechanism ensures high extraction performance when the hood is switched on, which then disappears into the countertop when turned off, ensuring a linear and streamlined kitchen design.

The remote motor means the harmony in the kitchen remains undisturbed by the noise of the powerful extraction unit. For maximum comfort.

GETUP

DESIGN FABRIZIO CRISÀ







GETUP NAKED



GETUP IX



GETUP CAST IRON



GETUP NAKED



GETUP

DESIGN FABRIZIO CRISÀ

ELICA CONNECT

90 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch + vetro nero, effetto ghisa, effetto ghisa + rivestibile

Stainless steel, black soft touch effect + black glass, cast iron effect, cast iron effect + coverable



EASY TO MAINTAIN



TOTAL INTEGRATION



CONNECTIVITY



LONG LIFE FILTER ++



LONG LIFE FILTER



DIM LIGHT




SPECIAL MATERIAL



Ø150



ENERGY CLASS (A+++/D)



CUT FOR INSTALLATION



Con Getup la libertà e il comfort sono massimi grazie all'interfaccia utente sempre visibile frontalmente e alla comodità dell'assistente vocale o del telecomando tramite APP nella gestione del flusso d'aria, dell'intensità della luce e della manutenzione del prodotto.

Total freedom and comfort with Getup, thanks to the user interface displayed on the front and the handy voice assistant or remote control via the app, to manage the air flow, light intensity and product maintenance.

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	203 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	750 m ³ /h
Livello sonoro min-max Noise level min-max	43 - 62 db(A)
Assorbimento totale Total absorption	317 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Kit filtro carbone rigenerabile HP Regenerable charcoal filter HP	KIT0166432	315,00 €
Kit filtro carbone rigenerabile Regenerable carbon filter kit	KIT0166444	104,00 €
Kit trasformazione motore satellite Remote motor transformation kit	KIT0166435	105,00 €

MODELLI MODELS

GETUP IX/A/90	PRF0161680	2.274,00 €
GETUP BL MAT/A/90	PRF0162784	2.274,00 €
GETUP CAST IRON/A/90	PRF0162866	2.274,00 €
GETUP NAKED/A/90	PRF0162869	2.274,00 €

Stile essenziale e minimale

Understated, minimal style

Il nuovo modello Getup arricchisce il classico downdraft di stile e soluzioni tecnologiche all'avanguardia, in grado di assicurare il massimo comfort in cucina.

Nasce dall'esigenza di chi predilige un ambiente minimale ma allo stesso tempo è attento alla rimozione efficace dei vapori e degli odori in casa, Getup si integra perfettamente nell'arredo della cucina e rivela la sua efficacia solo quando necessario.

The new Getup model enhances the classic downdraft style and cutting-edge technological solutions which ensure the utmost comfort in the kitchen.

It stems from the demand of those aiming for a minimal setting, but one that is also focused on efficiently removing vapours and odours in the home.



Massima libertà di installazione

Total installation freedom

Getup si inserisce con discrezione in ogni tipo di cucina, lasciando la massima libertà di installazione e occupando uno spazio minimo all'interno del mobile grazie alle dimensioni e alla posizione del gruppo aspirante che consente cassetti più profondi.

Il motore, incluso nella scatola, può essere montato a bordo e su entrambi i lati del prodotto con possibilità di ruotare l'uscita nelle quattro direzioni per soddisfare qualsiasi esigenza di installazione. La stessa unità di aspirazione può essere anche remotizzata (fino a 3 mt), liberando l'ingombro all'interno del mobile e mantenendo performance efficaci alla massima silenziosità.

Getup blends discretely into any type of kitchen, leaving total freedom for installation and taking up a minimum amount of space inside the unit, thanks to its size and the position of the extraction unit which allows for deeper drawers.

The motor, included in the box, can be assembled on-board or on both sides of the product, with the option of turning the outlet in four directions to meet any installation requirement. The same extraction unit can also be installed remotely (up to 3 metres), freeing up space inside the unit whilst maintaining efficient performance and low noise levels.

Soluzioni originali


Original solutions

I materiali rappresentano da sempre per Elica uno degli elementi fondamentali del processo di innovazione, consentendo la creazione di soluzioni distintive, in linea con le tendenze del settore dell'arredamento.

La finitura nera, in Getup, viene interpretata con una combinazione di vetro nero e particolari in vernice soft touch mentre la classica soluzione in acciaio rivela la sua eleganza senza tempo. La versione effetto ghisa rappresenta una vera novità: sottolineata da un profilo in titanio la finitura discretamente brillante si sposa perfettamente con i nuovi stili di cucina e con gli elementi estetici dei piani a gas. Il modello "naked" consente di rivestire il pannello superiore con qualsiasi texture, anche la stessa del piano di lavoro, rendendo Getup un prodotto unico e personalizzabile.

Materials have always been one of the fundamental elements for Elica in the innovation process, resulting in statement solutions, in line with trends in the furnishing sector. In Getup, the black finish is interpreted with a combination of black glass and details in soft touch paint while the classic solution in steel showcases its timeless elegance.

The cast-iron effect is a brand-new addition: highlighted by a titanium trim, the subtly bright finish blends in perfectly with new kitchen styles and the aesthetic elements of the gas hobs. The "naked" model allows you to cover the upper panel with any texture, even the same one as the worktop, making Getup a one-of-a-kind, customisable product.



Interazione intelligente e connessione Wi-fi

Smart interaction and Wi-fi connection

Interagire con Getup è sorprendentemente naturale. L'innovativa interfaccia utente è sempre davanti ai tuoi occhi ed ogni funzione può essere selezionata con un tocco sulla parte laterale del prodotto, evitando di passare sopra pentole e fuochi, in completa sicurezza.

Getup è dotata di modulo Wi-fi: aspirazione e luci possono essere controllate anche tramite la App dedicata e gli smart speaker più diffusi. Utilizzando la App Elica Connection è possibile avere utili feedback sulla manutenzione dei filtri e sulle buone abitudini di utilizzo della cappa.

ELICA CONNECT



Interacting with Getup is surprisingly natural. The innovative user interface is always on view and all the functions can be selected with a touch on the side part of the product, so you don't have to reach over pans or the hot stove, ensuring complete safety.

Getup comes with Wi-fi: extraction and lights can be controlled via the dedicated App and widely-used smart speakers. Using the Elica Connection App, it is possible to receive useful feedback on filter maintenance and the best ways to use the hood.

PANDORA BL



PANDORA IX





PANDORA

ELICA DESIGN CENTER

90 cm
Filtrante (motore interno) Filtering (internal motor)
Aspirante (motore esterno) Duct-out (external motor)
Acciaio inox + vetro nero, nero + vetro nero
 Stainless steel + black glass, black + black glass


EASY TO MAINTAIN

TOTAL INTEGRATION

COMFORT SILENCE

Ø150

ENERGY CLASS (A+++/D)



PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	669 m³/h
Livello sonoro min-max Noise level min-max	45 - 59 db(A)
Assorbimento totale Total absorption	275 W

Filtro grassi alluminio incluso Grease aluminium filter included
 Filtro carbone incluso (*) Charcoal filter included (*)

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0142324	59,00 €
Motore remoto esterno (GME22) Remote external motor (GME22)	PRF0006212A	840,00 €
Motore remoto esterno (GME88) Remote external motor (GME88)	PRF0046491A	945,00 €

MODELLI MODELS		
PANDORA IX/F/90 (*)	PRF0120980	1.536,00 €
PANDORA GME IX/A/90 (**)	PRF0120982	1.309,00 €
PANDORA BL/F/90 (*)	PRF0120979	1.536,00 €
PANDORA GME BL/A/90 (**)	PRF0120981	1.309,00 €

(*) Motore a bordo fornito
 On-board motor supplied
 (**) Motore remoto non fornito
 Remote motor not supplied

TUBAZIONI ACCESSORIE PER VERSIONE ASPIRANTE
ACCESSORY PIPE FITTINGS FOR DUCT-OUT VERSION



222x89x1000 mm
KIT0120991 42,00 €



222x89x500 mm
KIT0173527 32,00 €



Ø150x500 mm
KIT0120996 27,00 €



Ø150x1000mm
KIT0121000 48,00 €




227x94x80mm
KIT0121001 14,00 €



15° 227x138x94
KIT0121002 29,00 €



Ø158X59mm
KIT0121003 10,00 €



90° 227x288x94mm
KIT0121004 37,00 €




90° 227x94mm
KIT0121005 33,00 €




90° - Ø157
KIT0121006 39,00 €




227x94 - Ø146mm
KIT0121007 33,00 €



227x94 - Ø153mm
KIT0121008 31,00 €




int 216x82 / est 290x160 mm
KIT0121009 221,00 €



190x190 - Ø147mm
KIT0121010 217,00 €



227x94 mm
KIT0126810 114,00 €



50 mm x 25 m
KIT0161453 37,00 €

TUBAZIONI ACCESSORIE PER VERSIONE FILTRANTE

ACCESSORY PIPE FITTINGS FOR FILTERING VERSION



218x55x500 mm
KITO121012 21,00 €



218x55x1000 mm
KITO121013 37,00 €




218x55x70 mm
KITO121015 10,00 €



90° 218x55 mm
KITO121016 21,00 €



218x55 mm
KITO121017 35,00 €



50 mm x 25 m
KITO161453 37,00 €





BUILT IN

La tradizionale installazione a scomparsa permette di creare un ambiente uniforme e omogeneo, senza interruzioni. Per chi ricerca il massimo allineamento e la totale linearità, le cappe built in sono la soluzione in grado di personalizzare al meglio la propria cucina. Il perfetto incasso tra i pensili consente una continuità di sguardo, celando all'interno del prodotto il cuore tecnologico. L'innovativo sistema anticondensa no-drip assicura la migliore protezione ai pensili, catturando le gocce di vapore in risalita, prima che si dispendano nell'ambiente. Alleate tanto discrete quanto preziose.

The traditional concealed installation allows you to create a uniform and seamless environment, with no interruptions. For anyone looking for maximum alignment and total linearity, built-in hoods are the solution to stamping your own style on the kitchen. The perfect fit between the wall units allows for continuity, concealing the technology behind the extraction unit inside the hood. The innovative no-drip, anti-condensate system ensures the best protection for the wall units, capturing the drops of rising steam before they are dispersed in the air. Discrete and sophisticated allies.





BOXIN NO DRIP

ELICA DESIGN CENTER

60 - 90 - 120 cm

Aspirante Duct-out

Acciaio inox Stainless steel



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



COMFORT
SILENCE



CM 50




CM 62



Ø150



ENERGY
CLASS
(A⁺⁺/+/D)



La prima cappa incasso di Elica per risolvere il problema della condensa con sistemi meccanici ed elettrici capaci di garantire una soluzione a 360 °. Il sistema è studiato per evitare la caduta delle gocce sul piano cottura e per salvare i pensili dal vapore.

Elica's first built-in hood that solves the problem of condensate with mechanical and electrical systems able to guarantee an all-round solution. The system has been designed to prevent dripping on the hob, as well as protect wall units from steam.

ILLUMINAZIONE LIGHTING

Tipo Type	LED 2x2,5W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	30 - 60 db(A)
Assorbimento totale Total absorption	300 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €
Kit camino H12 IX Chimney kit H12 IX	KIT0091876	49,00 €
Kit camino telescopico h18,5+h18,5 IX Telescopic chimney kit h18,5+h18,5 IX	KIT0141458	81,00 €

MODELLI MODELS

BOXIN NO DRIP IX/A/60	PRF0157712	975,00 €
BOXIN NO DRIP IX/A/90	PRF0156613	1.040,00 €
BOXIN NO DRIP IX/A/120	PRF0157280	1.192,00 €



La condensa e il vapore in eccesso non saranno più un problema

Excess condensation and steam will no longer be a problem

Quando si utilizza un piano cottura a induzione è frequente la formazione di condensa. Le gocce spesso ricadono sul piano cottura o nelle pentole e possono rovinare i pensili.

L'ampia veletta in acciaio inox protegge al meglio l'anta del pensile. L'innovativa resistenza introdotta nel corpo cappa riscalda la veletta e il supporto lampade a 42°, riducendo la differenza di temperatura tra il vapore e la superficie metallica. Grazie alle griglie inclinate l'acqua di condensa viene facilmente raccolta in una apposita vaschetta posta sul fondo.

Per svuotarla è sufficiente premere un semplice pulsante.

I comandi sono posizionati ergonomicamente sulla veletta frontale, risultando così facilmente accessibili a garanzia del massimo comfort.

When using an induction hob, the formation of condensation is common. Drops often fall back down on the hob or into pots and can ruin the cupboards.

The ample profile in stainless steel protects the door of the cupboard. The innovative resistance element in the hood's body heats the profile and lamp support to 42°C, reducing the temperature difference between the steam and the metal surface. Thanks to the grids the condensation water is easily collected in a specific tray located on the bottom.

To empty it, you only have to press a simple button.

The controls are ergonomically positioned on the front of the profile, making them easily accessible and ensuring maximum comfort.



Funzionalità e dettagli
in acciaio dal look professionale

**Functions and details
in steel with a professional look**



Il design ergonomico e funzionale della veletta, unito alle griglie brevettate, consente di raggiungere risultati eccezionali in termini di captazione dei fumi per un'aria pulita e sana.

Con Boxin No Drip, design ergonomico e funzionalità sono in perfetto equilibrio. La veletta è stata studiata di 14 cm e con un raggio di apertura di 45°, che rappresentano i gradi e la distanza perfetti per incanalare i fumi attraverso il filtro grassi, migliorando le prestazioni e la velocità di aspirazione.

Grazie alle speciali griglie brevettate le poche gocce di condensa generate rimangono incastrate tra le lamelle delle griglie e convogliate verso la vaschetta di raccolta dell'acqua posta sul fondo.



The ergonomic and functional design of the profile, combined with patented grids, allows you to achieve exceptional results in terms of fumes collection, for clean and healthy air.

With Boxin No Drip, ergonomic design and functions are in perfect balance. The carefully studied profile measures 14 cm and has a 45° opening radius, representing the perfect angle and distance for channelling the fumes through the grease filter, improving its performance and speed of extraction. Thanks to the special patented grids, the few drops of condensation generated get trapped between the slats of the grids and then conveyed to the water collection tray located at the bottom.



Facile da pulire Easy to clean

La vaschetta raccogli-condensa va svuotata e pulita almeno una volta a settimana o più frequentemente in base all'utilizzo della cappa. Posizionare un contenitore sotto il foro nella traversa, premere la linguetta verso il basso e procedere allo svuotamento. Residui di condensa potrebbero rimanere all'interno della vaschetta. Per eliminarli, si può rimuovere la traversa posteriore in modo semplice, senza l'utilizzo di utensili per poterla lavare completamente.


The condensate collection tray should be emptied and cleaned at least once a week or more frequently, depending on the use of the hood. Place a container under the hole in the crossbar, press the tab down, and proceed with the flushing. Condensation residues may remain inside the tray. To eliminate them, you can easily remove the back crossbar, without the use of tools, so that you can wash it completely.



BOXIN PLUS

ELICA DESIGN CENTER

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox + vetro bianco
Stainless steel + white glass



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative
Portata massima Max airflow	580 m³/h
Livello sonoro min-max Noise level min-max	49 - 70 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €
Kit camino H12 Chimney kit H12	KIT0091876	49,00 €
Kit camino H18,5+18,5 Chimney kit H18,5+18,5	KIT0141458	81,00 €

MODELLI MODELS

BOX IN PLUS IXGL/A/60	PRF0097795A	577,00 €
BOX IN PLUS IXGL/A/90	PRF0097796A	623,00 €
BOX IN PLUS IXGL/A/120	PRF0097797A	741,00 €



BOXIN IX



BOXIN BL

BOXIN

ELICA DESIGN CENTER

60 - 90 - 120 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch

Stainless steel, black soft touch effect



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50




CM 50



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative	
	STD	LUX
Portata massima Max airflow	370 m³/h	620 m³/h
Livello sonoro min-max Noise level min-max	48 - 67 db(A)	50 - 70 db(A)
Assorbimento totale Total absorption	95 W	255 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone (*) Charcoal filter (*)	CFC0140343	46,00 €
Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0162221	104,00 €
Filtro carbone Charcoal filter	CFC0141497	25,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €
Kit camino H12 Chimney kit H12	KIT0091876	49,00 €
Kit camino H18,5+18,5 Chimney kit H18,5+18,5	KIT0141458	81,00 €

MODELLI MODELS

BOXIN IX/A/60	PRF0097835B	385,00 €
BOXIN IX/A/90	PRF0097839B	424,00 €
BOXIN IX/A/120	PRF0097842B	515,00 €
BOXIN LX/IX/A/60 (*)	PRF0114760A	455,00 €
BOXIN LX/IX/A/90 (*)	PRF0114761A	496,00 €
BOXIN LX/IX/A/120 (*)	PRF0114762A	586,00 €
BOXIN LX/BL MAT/A/60 (*)	PRF0172166	475,00 €
BOXIN LX/BL MAT/A/90 (*)	PRF0172167	515,00 €
BOXIN LX/BL MAT/A/120 (*)	PRF0172168	620,00 €





HIDDEN 2.0 @

DESIGN FABRIZIO CRISÀ



HIDDEN 2.0 @ BLGL



HIDDEN 2.0 @ IX





HIDDEN 2.0 @

DESIGN FABRIZIO CRISÀ

ELICA CONNECT

60 - 90 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch + vetro nero

Stainless steel, black soft touch effect + black glass



EASY TO
MAINTAIN



MULTI-D
CAPTURE



TOTAL
INTEGRATION



CONNECTIVITY



LONG LIFE
FILTER



TUNE WHITE



DIM LIGHT



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



Hidden 2.0 @ consente all'utente di sentirsi più libero e di avere più tempo per concentrarsi sulle operazioni di cottura grazie al suo sistema wireless intelligente. La cappa può essere utilizzata tramite app o controllo vocale ricevendo e dando informazioni.

Hidden 2.0 @ heightens the user's sense of freedom, offering more time to concentrate on cooking thanks to the smart wireless system. The hood can be used either through the app or with voice commands, giving and receiving information.

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	309 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	700 m³/h
Livello sonoro min-max Noise level min-max	51 - 67 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458	81,00 €

MODELLI MODELS

HIDDEN 2.0 @ IX/A/60	PRF0164340	924,00 €
HIDDEN 2.0 @ IX/A/90	PRF0164356	966,00 €
HIDDEN 2.0 @ BLGL/A/60	PRF0164361	987,00 €
HIDDEN 2.0 @ BLGL/A/90	PRF0164391	1.029,00 €



Da oggi anche le cappe a incasso sono connesse al Web

Even built-in hoods connected to the Web, starting now

ELICA CONNECT

Hidden 2.0 @ è la prima cappa a incasso connessa in wi-fi di Elica, un modello dal design estremamente pulito che rende il prodotto completamente integrato nel design della tua cucina.

Con questo prodotto, Elica continua il suo percorso nel mondo dell'IoT, rendendo più semplice la vita in cucina: Hidden 2.0 @ permette una maggiore libertà di movimento e più tempo per concentrarsi sulle operazioni di cottura.

La cappa può essere gestita tramite la app Elica Connect, mediante la quale è possibile attivare l'aspirazione e regolare l'intensità e il calore della luce, da un tono di bianco più freddo ed elegante, ad una luce più calda ed avvolgente, creando così l'atmosfera desiderata.

La app dedicata ed estremamente user friendly aggiorna l'utente con informazioni utili sullo stato del prodotto o su eventuali interventi necessari come la manutenzione o la sostituzione dei filtri. Inoltre, è possibile collegare Hidden 2.0 @ con gli smart speakers più diffusi per avere a disposizione il controllo vocale.



Hidden 2.0 @ is Elica's first built-in hood with Wi-Fi connection, a model distinguished by its extremely clean design, allowing its smooth and complete integration into your kitchen design.

Through this product, Elica continues its journey through the IoT world, making life in the kitchen even simpler: Hidden 2.0 @ allows greater freedom of movement and more time to concentrate on your cooking.

The hood can be managed through the Elica Connect app, using which it's possible to adjust the intensity and warmth of the light, whether cooler and more elegant or softer and more inviting, thus perfectly creating your desired atmosphere.

The dedicated and extremely user-friendly app updates the user with helpful information

regarding the status of the product or any necessary servicing, such as filter maintenance or replacement. Moreover, Hidden 2.0 @ can be connected with the most popular smart speakers for access to voice control.

Grandi performance in una soluzione salvaspazio

Huge performance in a space-saving solution



Hidden 2.0 @ è stata progettata per garantire le migliori performance di funzionamento in uno spazio contenuto. La ridotta dimensione dell'ingombro interno, infatti, consente di poter usufruire comunque dello spazio nel pensile, utilissimo per riporre barattoli o libri di ricette.

La cappa diventa parte integrante dello spazio e garantisce ottime performance grazie ad un sistema di aspirazione perimetrale che consente una perfetta captazione dei fumi.

Una Strip Led illumina in modo diffuso e uniforme il piano cottura e permette la regolazione di intensità della luce oltre che della tonalità di colore, da un tono di bianco più freddo ad una luce più calda, per avere sempre la giusta atmosfera e il miglior comfort visivo.



Hidden 2.0 @ is designed to guarantee best performance in the smallest possible space. Its reduced overall size in fact allows use of the cabinet space regardless, useful in storing jars or recipe books.

The hood becomes an integral part of the space and guarantees best performance also thanks to a perimeter extraction system, which perfectly captures the fumes.

A LED strip illuminates the hob with diffused and even lighting, and allows adjustment of the light intensity and colour, from cool white to a warmer shade, ensuring the perfect atmosphere and best visual comfort at all times.



Linearità in cucina

Linearity in the kitchen

Hidden 2.0 @ è stata disegnata per scomparire nel pensile. Il pannello centrale, in vetro o acciaio, nasconde le parti funzionali del prodotto mantenendo l'estetica pulita e integrandosi perfettamente nel cabinet. Il risultato è un effetto lineare della cucina, senza elementi di discontinuità, perfetto per chi ama uno stile sobrio e essenziale.

Hidden 2.0 @ is designed to disappear into the cabinet. The central panel in either glass or steel hides the functional elements of the product while maintaining a clean look and perfectly blending in with the cabinet. The result is a totally linear kitchen effect without any discontinuity, perfect for lovers of an understated and essential style.



HIDDEN 2.0

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox, acciaio inox + vetro bianco
Stainless steel, stainless steel + white glass

EASY TO MAINTAIN

TOTAL INTEGRATION

LONG LIFE FILTER


MULTI-D CAPTURE

CM 50

CM 65

Ø150

ENERGY CLASS (A++/D)



ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 1x7 W	
Intensità Intensity	365 LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button	
Portata intensiva Booster airflow	700 m³/h	
Livello sonoro min-max Noise level min-max	51 - 67 db(A)	
Assorbimento totale Total absorption	277 W	
Filtro grassi alluminio incluso Grease aluminium filter included		
ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458	81,00 €
MODELLI MODELS		
HIDDEN 2.0 IX/A/60	PRF0092333A	573,00 €
HIDDEN 2.0 IX/A/90	PRF0095073A	620,00 €
HIDDEN 2.0 IXGL/A/60	PRF0097676A	630,00 €
HIDDEN 2.0 IXGL/A/90	PRF0097708A	678,00 €



LANE

DESIGN FABRIZIO CRISÀ

60 - 80 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch, bianco, silver

Stainless steel, black soft touch effect, white, silver



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



SUPER EASY
INSTALLATION



MULTI-D
CAPTURE



CM 45




CM 50



Ø150



ENERGY
CLASS
(A+++D)



Lane è la cappa invisibile che si integra perfettamente con la linearità della cucina. Ha un design moderno, prestazioni eccellenti e un ottimo rapporto qualità-prezzo. Il prodotto, inoltre, ha un sistema di ancoraggio brevettato composto da 2 clip laterali che consente di fissare con solo 2 viti dal basso la cappa al mobile in meno di un minuto. Lane is the invisible hood that blends perfectly into the kitchen's linearity. It features a modern design, high performance and offers excellent value for money. Moreover, it comes with a patented fastening system made up of 2 side clips, allowing the hood to be secured to the cabinet with only 2 screws from below, in less than one minute.

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	650 m³/h
Livello sonoro min-max Noise level min-max	49 - 65 db(A)
Assorbimento totale Total absorption	257 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €

MODELLI MODELS

LANE IX/A/52	PRF0157333	457,00 €
LANE IX/A/72	PRF0157377	499,00 €
LANE BL MAT/A/52	PRF0165830	457,00 €
LANE BL MAT/A/72	PRF0165834	499,00 €
LANE WH/A/52	PRF0157357	457,00 €
LANE WH/A/72	PRF0157394	499,00 €
LANE GR/A/52	PRF0157369	457,00 €
LANE GR/A/72	PRF0157404	499,00 €



ELIBLOC LUX



ELIBLOC HT



ELIBLOC

ELICA DESIGN CENTER

60 - 80 cm
Aspirante Duct-out
Silver, acciaio inox, nero
Silver, stainless steel, black



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x5 W
Intensità Intensity	761 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

	HT	LUX
Comandi Controls	Slider meccanico 4V 4S Mechanical slider	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata massima Max airflow	647 m³/h	690 m³/h
Livello sonoro min-max Noise level min-max	49 - 71 db(A)	54 - 70 db(A)
Assorbimento totale Total absorption	210 W	285 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtri grassi inox incluso Stainless steel grease filters included (LUX)

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140122	32,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €

MODELLI MODELS

ELIBLOC HT GR A/60	1768336A	331,00 €
ELIBLOC HT GR A/80	17614580A	347,00 €
ELIBLOC LUX IX A/60	PRF0165627	384,00 €
ELIBLOC LUX IX A/80	PRF0165628	399,00 €
ELIBLOC LUX BL A/60	PRF0165624	384,00 €
ELIBLOC LUX BL A/80	PRF0165626	399,00 €



ERA S

ELICA DESIGN CENTER

60 - 80 cm

Aspirante Duct-out

Acciaio inox Stainless steel



EASY TO
MAINTAIN



CM 50




CM 65



Ø120



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative
Portata massima Max airflow	428 m³/h
Livello sonoro min-max Noise level min-max	57 - 68 db(A)
Assorbimento totale Total absorption	121 W

Filtri grassi inox incluso Stainless steel grease filters included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141571	48,00 €
--------------------------------	------------	---------

MODELLI MODELS

ERA S IX/A/52	PRF0142886	330,00 €
ERA S IX/A/72	PRF0142744	356,00 €



ERA C IX 72



ERA C WH 52



ERA C BL 52

ERA C

ELICA DESIGN CENTER

60 - 80 cm
Aspirante Duct-out
Acciaio inox, bianco, nero Stainless steel, white, black



EASY TO MAINTAIN



CM 50




CM 65



Ø120



CLASSE ÉNERGETIQUE (A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m³/h
Livello sonoro min-max Noise level min-max	62 - 67 db(A)
Assorbimento totale Total absorption	146 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141571	48,00 €
--------------------------------	------------	---------

MODELLI MODELS

ERA C IX/A/52	PRF0142723	209,00 €
ERA C IX/A/72	PRF0142741	222,00 €
ERA C WH/A/52	PRF0142716	174,00 €
ERA C WH/A/72	PRF0142728	185,00 €
ERA C BL/A/52	PRF0166822	174,00 €
ERA C BL/A/72	PRF0166823	185,00 €



ERA

ELICA DESIGN CENTER

60 - 80 cm

Aspirante Duct-out

Silver Silver



EASY TO
MAINTAIN



CM 50




CM 65



Ø120



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	78 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	224 m³/h
Livello sonoro min-max Noise level min-max	45 - 54 db(A)
Assorbimento totale Total absorption	81 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141571	48,00 €
--------------------------------	------------	---------

MODELLI MODELS

ERA GR/A/52	PRF0142633	125,00 €
ERA GR/A/72	PRF0142701	136,00 €





GLASS OUT

DESIGN FABRIZIO CRISÀ





GLASS OUT

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Acciaio inox + vetro

Stainless steel + glass



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	560 m³/h
Livello sonoro min-max Noise level min-max	53 - 61 db(A)
Assorbimento totale Total absorption	227 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458	81,00 €
Kit camino H12 IX Chimney kit H12 IX	KIT0091876	49,00 €

MODELLI MODELS

GLASS OUT IX/A/60	PRF0109787	823,00 €
GLASS OUT IX/A/90	PRF0109788	857,00 €



LEVER

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox + vetro
Stainless steel + glass



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50




CM 50



Ø150



B
ENERGY
GLASS
(A+++/D)



Prodotto con un design molto semplice ed essenziale si nasconde completamente nel pensile. È dotato di una visiera frontale che protegge l'anta durante il processo di cottura convogliando il vapore attraverso la zona di aspirazione.

A very simple and essential design characterizes this appliance, which is completely hidden in the cabinet. It is equipped with a frontal visor that protects the door during cooking, conveying vapours through the extraction area.

ILLUMINAZIONE LIGHTING

Tipo Type	LED 2x2,5W
Intensità Intensity	145 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	46 – 67 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	46,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	104,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €
Kit camino H12 IX Chimney kit H12 IX	KIT0091876	49,00 €
Kit camino telescopico h18,5+h18,5 IX Telescopic chimney kit h18,5+h18,5 IX	KIT0141458	81,00 €

MODELLI MODELS

LEVER IX/A/56	PRF0160153	515,00 €
LEVER IX/A/86	PRF0160152	546,00 €
LEVER IX/A/116	PRF0163362	578,00 €



CIAK

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Silver Silver



TOTAL
INTEGRATION



CM 50




CM 65



Ø120



ENERGY
CLASS
(A+++D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	141 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	255 m³/h
Livello sonoro min-max Noise level min-max	48 - 66 db(A)
Assorbimento totale Total absorption	120 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141563	25,00 €
--------------------------------	------------	---------

MODELLI MODELS

CIAK LUX GR/A/L/56	PRF0121068B	315,00 €
CIAK LUX GR/A/L/86	PRF0121107B	368,00 €



ELITE 35

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Silver + acciaio inox
Silver + stainless steel



CM 43




CM 65



Ø150



ENERGY CLASS (A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	49 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	640 m³/h
Livello sonoro min-max Noise level min-max	46 - 63 db(A)
Assorbimento totale Total absorption	206 W


Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140075	32,00 €
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617	11,00 €

MODELLI MODELS

ELITE 35 GRIX/A/60	PRF0139077	467,00 €
ELITE 35 GRIX/A/90	PRF0139069	575,00 €



ELITE 14

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Silver + acciaio inox

Silver + stainless steel



CM 50




CM 65



Ø120



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	304 m³/h
Livello sonoro min-max Noise level min-max	46 - 62 db(A)
Assorbimento totale Total absorption	121 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141571	48,00 €
--------------------------------	------------	---------

MODELLI MODELS



ELITE 14 LUX GRIX/A/60	PRF0037989B	210,00 €
ELITE 14 LUX GRIX/A/90	PRF0037992B	252,00 €



KREA

ELICA DESIGN CENTER

60 - 90 cm
Filtrante Filtering
Acciaio inox, nero, bianco
Stainless steel, black , white



ILLUMINAZIONE LIGHTING			
	ST	LX	GFA
Tipo Type	Led 1x3 W	Led 2x3 W	Led 2x3 W
Intensità Intensity	48 LUX	97 LUX	97 LUX
Temperatura Temperature	2700 K	2700 K	2700 K
PERFORMANCE PERFORMANCE			
Comandi Controls	Slider meccanico 3V 3S Mechanical slider		
	ST	LX	GFA
Portata intensiva Booster airflow	272 m³/h	336 m³/h	272 m³/h
Livello sonoro min-max Noise level min-max	52 - 71 db(A)	52 - 73 db(A)	52 - 71 db(A)
Assorbimento totale Total absorption	118 W	166 W	121 W
Filtro grassi alluminio incluso Grease aluminium Filter included Filtro carbone incluso Charcoal filter included			


ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140064	27,00 €
MODELLI MODELS		
KREA ST IX F/60	55311065B	167,00 €
KREA ST IX F/90	55311075B	195,00 €
KREA LX IX F/60	55311112A	208,00 €
KREA LX IX F/90	55311129A	236,00 €
KREA GFA BL/F/60	PRF0104634B	142,00 €
KREA GFA BL/F/90	PRF0104635B	163,00 €
KREA GFA WH/F/60	55310774B	142,00 €
KREA GFA WH/F/90	PRF0104636B	163,00 €



ESTRAIBILE

ELICA DESIGN CENTER

60 - 90 cm
Filtrante Filtering
Silver, Silver + acciaio inox
Silver, Silver + stainless steel



ILLUMINAZIONE LIGHTING		
Tipo Type	Led 1X2,5 W	(*)
Intensità Intensity	47 LUX	Led 2x2,5 W
Temperatura Temperature	2700 K	95 LUX
		2700 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	245 m³/h
Livello sonoro min-max Noise level min-max	45 - 63 db(A)
Assorbimento totale Total absorption	133 W - 135 (*) W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0176744	36,00 €

MODELLI MODELS		
ESTRAIBILE GR/F/60	PRF0154623A	191,00 €
ESTRAIBILE GR/F/90	PRF0154626A	206,00 €
ESTRAIBILE GR-FR.IX/F/60 (*)	PRF0154624A	241,00 €
ESTRAIBILE GR-FR.IX/F/90 (*)	PRF0154627A	273,00 €





GOOD TO KNOW

Per te, che sei sempre attento alle nuove tendenze e non ti accontenti dell'estetica, ma vuoi approfondire la funzionalità, abbiamo sviluppato una sezione in cui troverai tutti i dettagli su accessori, informazioni utili, consigli su come scegliere la tua cappa, garanzie e etichetta energetica.

For those of you, who like to keep up with the latest trends and are not just looking for an attractive finish, but also want detailed information about functionality, we have created a section in which you can source all the details on accessories, useful information, advice on how to choose your hood, warranties and energy labels.

RADIOCOMANDI REMOTE CONTROLS

Il radiocomando Elica, disegnato da Fabrizio Crisà, è ultrasottile, resistente e pratico grazie ai magneti che ne consentono il posizionamento su oggetti metallici. In vetro e alluminio. Disponibile nella versione bianca o nera.

The Elica radio control, designed by Fabrizio Crisà, is super thin, resistant and practical, thanks to the magnets that allow it to be placed on metal object. It comes in glass and aluminum, in black or white.

Bianco
White

KIT0121468

Nero
Black

KIT0121469



CONSENTE DI ACCENDERE LA **LUCE AMBIENTE**. CON UNA PRESSIONE PROLUNGATA SI HA LA POSSIBILITÀ DI REGOLARE L'INTENSITÀ DELLA LUCE.

Allows you to turn on the **ambient light**. Hold down for a longer time to adjust the brightness of the light.

BATTERIA RICARICABILE CON PRESA MICRO USB (CAVO IN DOTAZIONE).

Rechargeable battery with micro USB plug. (cord included).



IL TASTO + AUMENTA LA POTENZA DI ASPIRAZIONE MENTRE IL - LA RIDUCE. TENENDO PREMUTO QUEST'ULTIMO LA CAPPA, A PRESCINDERE DALLA VELOCITÀ IN CUI SI TROVA, SI SPENGE.

The + key increases the aspiration power, while the - key decreases it. By holding down the latter, the hood switches off regardless of its current speed.

LA **LUCE SUL PIANO COTTURA** SI ACCENDE CON UNA LEGGERA PRESSIONE DEL TASTO. CON UNA PRESSIONE PROLUNGATA SI ATTIVANO, A SECONDA DEI MODELLI, LE FUNZIONALITÀ AVANZATE: LA **DIM-LIGHT** (CHE REGOLA L'INTENSITÀ DELLA LUCE) O LA **TUNE-WHITE** (CHE PERMETTE LA VARIAZIONE DELLA TEMPERATURA DEI LED).

The light above the hob is switched on by lightly pressing the key. By holding it down for a longer period, you can activate the advanced features, according to your model: the dim-light (that adjusts brightness) or the tune-white (that allows for the variation of the led light temperature).

FILTRI ODORI ODOUR FILTERS

Filtro carbone Charcoal filter



Il filtro odori tradizionale, composto da una miscela di carboni attivi, perde la sua efficacia attraverso il suo utilizzo ed ha una vita media di 3-6 mesi.

The traditional odour filter, made up of a mix of activated carbons, loses its efficiency through use and has an average life of 3-6 months.

Filtro carbone rigenerabile Regenerable charcoal filter



Il Filtro Carbone Rigenerabile ha le stesse caratteristiche del filtro carbone rigenerabile HP ma con un'efficienza di filtraggio che si aggira tra il 40-60%.

The Regenerable Charcoal Filter has the same characteristics of the HP Regenerable charcoal filter, but with a filtering efficiency that ranges from 40-60 %.

Filtro carbone rigenerabile HP HP Regenerable charcoal filter



Filtro Odori con elevatissimo livello di efficienza >82% capace di rigenerarsi e di durare fino ad un massimo di 3 anni rispetto a filtri standard. Per mantenere tali caratteristiche, il filtro deve essere lavato ogni 2 o 3 mesi con acqua calda e detergente delicato o nella lavastoviglie a 65°C. e poi asciugato in forno per 10 minuti a 100°.

Odour filter with very high efficiency level >82%. Capable of regenerating itself and of lasting up to a maximum of 3 years in comparison to standard filters. To maintain such characteristics, the filter must be washed every 2 or 3 months with hot water and mild soap, or in the dishwasher at 65°C. and can be dried in the oven for 10 minutes at 100°.

Filtro in ceramica anti-odori Ceramic odour filter



Il filtro ceramico è un filtro carbone modulare che si rigenera termicamente in forno ogni 2/3 mesi a 200° per 45 minuti, fino ad un massimo di 5 anni. Permette di raggiungere un'altissima efficienza di assorbimento odori ed un'elevata resistenza meccanica.

The ceramic filter is a modular charcoal filter that can be thermally regenerated in the oven every 2/3 months at 200° for 45 minutes, up to max 5 years. It allows for very high odour absorption efficiency and very high mechanical strength.

FILTRI ODORI
ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
ACUTA	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
ADÉLE	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
ADÉLE ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
APLOMB	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
BELT	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
BIO	CFC0140091	Carbone rigenerabile HP Regenerable charcoal HP	290,00 €
BIO ISLAND	CFC0140091	Carbone rigenerabile HP Regenerable charcoal HP	290,00 €
BLOOM	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
BLOOM-S	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
BOXIN	CFC0141497	Carbone / Charcoal	25,00 €
BOXIN LX	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
BOXIN NO DRIP	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
BOXIN PLUS	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
CIAK LUX	CFC0141563	Carbone / Charcoal	25,00 €
CIRCUS	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
CRUISE	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
EASY UX	CFC0140088	Carbone rigenerabile Regenerable charcoal	58,00 €
EDITH	CFC0140053	Carbone rigenerabile HP Regenerable charcoal HP	226,00 €
	CFC0140090	Carbone rigenerabile Regenerable charcoal	125,00 €
ELEKTRA	CFC0140088	Carbone rigenerabile Regenerable charcoal	58,00 €
ELIBLOC HT	CFC0140122	Carbone / Charcoal	32,00 €
ELITE 14	CFC0141571	Carbone / Charcoal	48,00 €
ELITE 35	CFC0140075	Carbone / Charcoal	32,00 €
ELLE	CFC0140343	Carbone / Charcoal	46,00 €
ERA	CFC0141571	Carbone / Charcoal	48,00 €
ERA C	CFC0141571	Carbone / Charcoal	48,00 €
ERA S	CFC0141571	Carbone / Charcoal	48,00 €
ESTRAIBILE	CFC0176744	Carbone / Charcoal	36,00 €
FLAT GLASS	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €

FILTRI ODORI

ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
GALAXY	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
GALAXY ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
GETUP	KIT0166432	Carbone rigenerabile HP Regenerable charcoal HP	315,00 €
	KIT0166444	Carbone rigenerabile Regenerable charcoal	104,00 €
GLASS OUT	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
HAIKU	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
HAIKU ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
HIDDEN 2.0	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
HIDDEN 2.0 @	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
HYDRA	CFC0140122	Carbone / Charcoal	32,00 €
IKONA	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
IKONA LIGHT	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
IKONA MAXXI PURE	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
INTERSTELLAR	CFC0140053	Carbone rigenerabile HP Regenerable charcoal HP	226,00 €
	CFC0140090	Carbone rigenerabile Regenerable charcoal	125,00 €
JOY	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
JOY ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
JUNO	CFC0140088	Carbone rigenerabile Regenerable charcoal	58,00 €
JUNO URBAN	CFC0140088	Carbone rigenerabile Regenerable charcoal	58,00 €
KREA	CFC0140064	Carbone / Charcoal	27,00 €
KUADRA	CFC0140423	Carbone rigenerabile Regenerable charcoal	55,00 €
KUADRA ISLAND	CFC0140423	Carbone rigenerabile Regenerable charcoal	55,00 €
L'ESSENZA	CFC0140343	Carbone / Charcoal	46,00 €
LANE	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
LEVER	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
LOL	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
MAJESTIC	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
MAJESTIC NO DRIP	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €

FILTRI ODORI
ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
METEORITE	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
	CFC0140091	Carbone rigenerabile HP Regenerable charcoal HP	290,00 €
METEORITE ISLAND	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
	CFC0140091	Carbone rigenerabile HP Regenerable charcoal HP	290,00 €
MINI OM	CFC0140423	Carbone rigenerabile Regenerable charcoal	55,00 €
MISSY	CFC0141497	Carbone / Charcoal	25,00 €
MOON	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
MOON ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
NUAGE	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
OPEN SUITE	KIT0166765	Carbone rigenerabile Regenerable charcoal	110,00 €
OPEN SUITE SUPERIOR	KIT0166765	Carbone rigenerabile Regenerable charcoal	110,00 €
OM AIR	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
PANDORA	CFC0142324	Carbone / Charcoal	59,00 €
PIX	KIT0147175	Carbone rigenerabile Regenerable charcoal	131,00 €
PLAT	CFC0140423	Carbone rigenerabile Regenerable charcoal	55,00 €
REEF	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
REEF ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
RUBINO CORNER	CFC0140124	Carbone / Charcoal	38,00 €
RULES	CFC0166361	Carbone rigenerabile Regenerable charcoal	31,00 €
SEASHELL	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
SHEEN-S	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
SHINING	CFC0140053	Carbone rigenerabile HP Regenerable charcoal HP	226,00 €
	CFC0140090	Carbone rigenerabile Regenerable charcoal	125,00 €
SHIRE	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
SHY-S	CFC0140343	Carbone / Charcoal	46,00 €
SINFONIA	CFC0140088	Carbone rigenerabile Regenerable charcoal	58,00 €
SPOT NG	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
SPOT PLUS	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
SPOT PLUS ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
SPOT URBAN	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €

FILTRI ODORI

ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
STONE	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
STRIPE	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
STRIPE URBAN	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
SUMMILUX	CFC0140053	Carbone rigenerabile HP Regenerable charcoal HP	226,00 €
	CFC0140090	Carbone rigenerabile Regenerable charcoal	125,00 €
SUPER PLAT	CFC0140423	Carbone rigenerabile Regenerable charcoal	55,00 €
SWEET	CFC0140426	Carbone rigenerabile Regenerable charcoal	85,00 €
SYNTHESIS	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
TAMAYA	CFC0140124	Carbone / Charcoal	38,00 €
THIN	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
THIN ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
TONDA	CFC0140124	Carbone / Charcoal	38,00 €
TRIBE	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
TRIBE ISLAND	CFC0141529A	Carbone / Charcoal	35,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	78,00 €
TUBE PRO	CFC0140423	Carbone rigenerabile Regenerable charcoal	55,00 €
TUBE PRO ISLAND	CFC0140423	Carbone rigenerabile Regenerable charcoal	55,00 €
VEGA	CFC0140064	Carbone / Charcoal	27,00 €
VERTIGO	CFC0140343	Carbone / Charcoal	46,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	104,00 €
WAVE UX	CFC0140088	Carbone rigenerabile Regenerable charcoal	58,00 €
YE	CFC0141737	Carbone rigenerabile Regenerable charcoal	119,00 €

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	PREZZO PRICE
NIKOLATESLA FIT	KIT0167755	Filtro in ceramica anti-odori Ceramic odour filter	210,00 €
NIKOLATESLA FLAME	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter	342,00 €
NIKOLATESLA LIBRA	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter	342,00 €
NIKOLATESLA ONE	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter	342,00 €
NIKOLATESLA PRIME	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter	342,00 €
NIKOLATESLA SWITCH	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter	342,00 €

* per i kit filtro carbone relativi ai modelli ceiling vedere nella sezione dedicata


* see the dedicated section for the ceiling model carbon filter kits

FILTRI GRASSI GREASE FILTERS

Filtro Grassi Alluminio Aluminium Grease Filter

KIT0010805

26,00 €



Disponibile per
Available for
ADÈLE / ADÈLE ISLAND /
BLOOM / BLOOM-S / JOY
/ L'ESSENZA / MAJESTIC
/ MAJESTIC NO DRIP /
MISSY / SPOT PLUS /
SPOT PLUS ISLAND /
STRIPE / STRIPE URBAN

Filtro grassi a strati in alluminio (GFA). Questo filtro è il più diffuso sul mercato anche perché grazie alla sua dimensione può essere facilmente lavato a mano e in lavastoviglie.

Layered aluminum grease filter (GFA). This filter is the most common on the market, also because, thanks to its size it can be easily washed by hand, or in the dishwasher.

Filtro Professionale Buffle Buffle Professional Filter

KIT0010804

98,00 €



Disponibile per
Available for
ADÈLE / ADÈLE ISLAND /
BLOOM / BLOOM-S / JOY
/ L'ESSENZA / MAJESTIC
/ MAJESTIC NO DRIP /
MISSY / SPOT PLUS /
SPOT PLUS ISLAND /
STRIPE / STRIPE URBAN


Filtro grassi completamente in acciaio che dà al prodotto un aspetto tipico delle cappe industriali. Grazie al labirinto degli strati in acciaio, questo filtro ha un'elevata captazione dei grassi.

All steel grease filter that gives the product a typical industrial hood look. Thanks to the labyrinth of steel layers, this filter has a high grease capturing capacity.

Filtri Grassi Professionali Inox Professional Stainless Steel Grease Filters

KIT0010806

37,00 €



Disponibile per
Available for
ADÈLE / ADÈLE ISLAND /
BLOOM / BLOOM-S / JOY
/ L'ESSENZA / MAJESTIC
/ MAJESTIC NO DRIP /
MISSY / SPOT PLUS /
SPOT PLUS ISLAND /
STRIPE / STRIPE URBAN

Filtro grassi con primo strato in acciaio e lamiera microforata posteriore, facilmente lavabile e con un'elevata captazione dei grassi.

Grease filter with the first layer in steel and a microperforated back metal sheet, easily washable and with high grease capturing capacity.

MOTORI REMOTI

REMOTE MOTORS


GME22 MOTOR

Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1420 m³/h
200 W
150 mm

PRF0006212A
€ 840,00

Disponibile per Available for
PANDORA




GME88 MOTOR

Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1495 m³/h
250 W (50Hz)
390 W (60Hz)
150 mm

PRF0046491A
€ 945,00

Disponibile per Available for
PANDORA




GME EXTERNAL WALL

Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1100 m³/h
150 W
150 mm

KIT0147880
€ 1.408,00

Disponibile per Available for
HILIGHT GLASS /
HILIGHT-X / ILLUSION /
SKYDOME




GME EXTERNAL ROOF TILED

Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1200 m³/h
200 W
150 mm

KIT0147881
€ 2.491,00

Disponibile per Available for
HILIGHT GLASS /
HILIGHT-X / ILLUSION /
SKYDOME




GME EXTERNAL INCLINED ROOF

Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1200 m³/h
200 W
150 mm

KIT0147882
€ 2.046,00

Disponibile per Available for
HILIGHT GLASS /
HILIGHT-X / ILLUSION /
SKYDOME




GME INTERNAL INLINE

Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

2150 m³/h
200 W
150 mm


KIT0147879
€ 1.073,00

Disponibile per Available for
HILIGHT GLASS /
HILIGHT-X / ILLUSION /
SKYDOME



CAMINI SPECIALI
SPECIAL CHIMNEYS


KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT



Long KITO1513 222,00 €
Short KITO1797 201,00 €

Disponibile per Available for
MINI OM


KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT



Long KITO010439 222,00 €
Short KITO010700 160,00 €

Disponibile per Available for
OM AIR


KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT



KITO177845 115,00 €

Disponibile per Available for
VERTIGO / BELT

KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT



Long KITO010703 214,00 €
Short KITO010704 160,00 €

Disponibile per Available for
ELLE


KIT CAMINO ACCIAIO INOX H12
STAINLESS STEEL CHIMNEY KIT H12



KITO091876 49,00 €

Disponibile per Available for
BOXIN / BOXIN NO DRIP / GLASS OUT / LEVER


KIT CAMINO ACCIAIO INOX H185+H185
STAINLESS STEEL CHIMNEY KIT H185+H185



KITO141458 81,00 €

Disponibile per Available for
BOXIN / BOXIN NO DRIP /
GLASS OUT / LEVER / HIDDEN 2.0 / HIDDEN 2.0@


KIT CAMINO NERO
BLACK CHIMNEY KIT



KITO166364 115,00 €

Disponibile per Available for
PLAT / RULES / SUPER PLAT

KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT



KITO171543 115,00 €

Disponibile per Available for
PLAT / RULES / SUPER PLAT

	NO RETURN VALVE
KITO1513 / KITO1797	---
KITO010439 / KITO010700	✓
KITO177845	✓
KITO010703 / KITO010704	✓
KITO091876	---
KITO141458	---
KITO166364	✓
KITO171543	✓

KIT MENSOLA SHELF KIT


LULLABY@



KIT0147858
325,00 €



KIT MENSOLA LULLABY@
(LEGNO)
SHELF KIT LULLABY@
(WOODEN)



KIT0147859
325,00 €

KIT MENSOLA LULLABY@
(BIANCO)
SHELF KIT LULLABY@
(WHITE)


BIO



KIT MENSOLA BIO 60CM
SHELF KIT BIO 60CM




KIT0120946
293,00 €

BIO
ISLAND

KIT0120947
293,00 €



KIT MENSOLA BIO ISLAND
60CM + 2 CAVI
SHELF KIT BIO ISLAND 60CM
+ 2 CABLES



KIT0120948
€ 92,00

KIT CAVI BIO ISLAND 1,7 MT
KIT CABLES BIO ISLAND 1,7 MT

ACCESSORI DI INSTALLAZIONE
INSTALLATION ACCESSORIES



150x70x1500mm
1052B 29,00 €



150x70x1000mm
1052C 20,00 €



90° 150x70mm
1052F 12,00 €



150x70 - Ø125mm
1052G 14,00 €



Ø125-100mm
1052L 10,00 €



Ø125x1000mm
1052N 20,00 €



Ø125x3000mm
1052W 37,00 €



Ø125x1000mm
1052O 19,00 €



Ø125
1052P 9,00 €



150x70 - Ø125mm
1052Q 14,00 €



90° Ø125mm
1052R 15,00 €



150x70mm
1052D 10,00 €



90° 150x70mm
1052E 16,00 €



Ø125x750mm + fascette
KIT0094727 55,00 €

ACCESSORI DI INSTALLAZIONE

INSTALLATION ACCESSORIES



220x90x1000mm

1053M

28,00 €



150x70x1000mm

1052C

20,00 €



150x70 - Ø150mm

1053Q

30,00 €



90° 220x90mm

1053S

26,00 €



Ø150-125mm

1052M

10,00 €



Ø150x3000mm

1052AD

45,00 €



Ø150x1000mm

1053W

24,00 €



Ø150

1053Z

10,00 €



220x90 - Ø150mm

1053P

26,00 €



220x90mm

1053N

16,00 €



Ø150mm

1053Y

26,00 €



90° 220x90mm

1053R

34,00 €



Ø150x750mm + fascette

KIT0094725

66,00 €



Ø150

KIT0162617

11,00 €

DIFFUSORE ARIA DA PENSILE PER PRODOTTI FILTRANTI BUILT-IN.
WALL UNIT AIR DIFFUSER FOR BUILT-IN FILTER PRODUCTS.

Utile per evitare l'intrusione di oggetti nel condotto d'aria e per direzionare il flusso di vapore in uscita verso il centro della stanza.

Useful for stopping objects getting into the air duct and to channel the vapour flow emitted towards the centre of the room.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Acuta	A	272 m³/h - 46 db(A)	368 m³/h - 53 db(A)	515 m³/h - 60 db(A)	---	625 m³/h - 65 db(A)
Adèle	A	325 m³/h - 55 db(A)	435 m³/h - 61 db(A)	630 m³/h - 69 db(A)	---	770 m³/h - 74 db(A)
Adèle Island	A	325 m³/h - 55 db(A)	435 m³/h - 61 db(A)	630 m³/h - 69 db(A)	---	770 m³/h - 74 db(A)
Aplomb	A	275 m³/h - 51 db(A)	385 m³/h - 59 db(A)	495 m³/h - 64 db(A)	---	680 m³/h - 71 db(A)
Belt	A	250 m³/h - 46 db(A)	350 m³/h - 54 db(A)	475 m³/h - 61 db(A)	---	590 m³/h - 65 db(A)
Bio	A+	125 m³/h - 32 db(A)	410 m³/h - 56 db(A)	496 m³/h - 60 db(A)	610 m³/h - 65 db(A)	757 m³/h - 69 db(A)
Bio Island	A+	125 m³/h - 32 db(A)	410 m³/h - 56 db(A)	496 m³/h - 60 db(A)	610 m³/h - 65 db(A)	757 m³/h - 69 db(A)
Bloom	A	185 m³/h - 35 db(A)	310 m³/h - 52 db(A)	400 m³/h - 56 db(A)	---	750 m³/h - 70 db(A)
Bloom-S	A	185 m³/h - 35 db(A)	310 m³/h - 46 db(A)	400 m³/h - 53 db(A)	590 m³/h - 58 db(A)	750 m³/h - 64 db(A)
Boxin	A	255 m³/h - 50 db(A)	355 m³/h - 57 db(A)	620 m³/h - 70 db(A)	---	---
Boxin Lux	D	140 m³/h - 48 db(A)	190 m³/h - 54 db(A)	370 m³/h - 67 db(A)	---	---
Boxin No Drip	A	105 m³/h - 30 db(A)	250 m³/h - 53 db(A)	365 m³/h - 60 db(A)	---	600 m³/h - 69 db(A)
Boxin Plus	B	230 m³/h - 49 db(A)	335 m³/h - 56 db(A)	610 m³/h - 70 db(A)	---	---
Ciak Lux	D	100 m³/h - 48 db(A)	130 m³/h - 54 db(A)	255 m³/h - 66 db(A)	---	---
Circus	D	195 m³/h - 55 db(A)	368 m³/h - 56 db(A)	384 m³/h - 62 db(A)	---	---
Cloud Seven (Duct-out)	A	235 m³/h - 43 db(A)	330 m³/h - 54 db(A)	460 m³/h - 60 db(A)	660 m³/h - 68 db(A)	770 m³/h - 71 db(A)
Cloud Seven (Filtering)	A	240 m³/h - 52 db(A)	360 m³/h - 62 db(A)	495 m³/h - 70 db(A)	570 m³/h - 70 db(A)	---
Cruise	B	288 m³/h - 51 db(A)	432 m³/h - 61 db(A)	581 m³/h - 69 db(A)	---	713 m³/h - 73 db(A)
Easy UX	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	520 m³/h - 62 db(A)	---	610 m³/h - 67 db(A)
Edith	A	160 m³/h - 36 db(A)	205 m³/h - 41 db(A)	335 m³/h - 53 db(A)	---	380 m³/h - 56 db(A)
Elektra	C	256 m³/h - 45 db(A)	384 m³/h - 55 db(A)	515 m³/h - 63 db(A)	---	647 m³/h - 68 db(A)
Elibloc Ht	C	256 m³/h - 49 db(A)	368 m³/h - 58 db(A)	496 m³/h - 65 db(A)	647 m³/h - 71 db(A)	---
Elibloc Lux	C	285 m³/h - 54 db(A)	405 m³/h - 63 db(A)	560 m³/h - 70 db(A)	---	690 m³/h - 74 db(A)
Elite 14	D	125 m³/h - 46 db(A)	288 m³/h - 57 db(A)	304 m³/h - 62 db(A)	---	---
Elite 35	A	250 m³/h - 46 db(A)	375 m³/h - 55 db(A)	535 m³/h - 63 db(A)	---	640 m³/h - 67 db(A)
Elle	A	240 m³/h - 43 db(A)	335 m³/h - 51 db(A)	515 m³/h - 62 db(A)	---	670 m³/h - 67 db(A)
Era	C	125 m³/h - 45 db(A)	155 m³/h - 47 db(A)	224 m³/h - 54 db(A)	---	---
Era C	D	290 m³/h - 62 db(A)	344 m³/h - 66 db(A)	368 m³/h - 67 db(A)	---	---
Era S	B	236 m³/h - 57 db(A)	332 m³/h - 63 db(A)	428 m³/h - 68 db(A)	---	---
Estraibile	D	105 m³/h - 45 db(A)	135 m³/h - 51 db(A)	245 m³/h - 63 db(A)	---	---
Flat Glass	D	195 m³/h - 55 db(A)	368 m³/h - 56 db(A)	384 m³/h - 62 db(A)	---	---
Galaxy	C	288 m³/h - 52 db(A)	416 m³/h - 61 db(A)	559 m³/h - 69 db(A)	---	647 m³/h - 73 db(A)
Galaxy Island	C	288 m³/h - 52 db(A)	416 m³/h - 61 db(A)	559 m³/h - 69 db(A)	---	647 m³/h - 73 db(A)
Getup	A	260 m³/h - 43 db(A)	428 m³/h - 58 db(A)	530 m³/h - 62 db(A)	630 m³/h - 66 db(A)	750 m³/h - 67 db(A)

* Velocità intensive temporizzate *Booster time speeds
** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Glass Out	A	235 m³/h - 53 db(A)	315 m³/h - 54 db(A)	425 m³/h - 61 db(A)	---	560 m³/h - 65 db(A)
Haiku	A	155 m³/h - 34 db(A)	295 m³/h - 47 db(A)	375 m³/h - 51 db(A)	560 m³/h - 58 db(A)	690 m³/h - 63 db(A)
Haiku Island	A	155 m³/h - 34 db(A)	295 m³/h - 47 db(A)	375 m³/h - 51 db(A)	560 m³/h - 58 db(A)	690 m³/h - 63 db(A)
Hidden 2.0	A	300 m³/h - 51 db(A)	420 m³/h - 60 db(A)	600 m³/h - 67 db(A)	---	700 m³/h - 70 db(A)
Hidden 2.0 @	A	300 m³/h - 51 db(A)	420 m³/h - 60 db(A)	600 m³/h - 67 db(A)	---	700 m³/h - 70 db(A)
Hilight Glass H16	A	275 m³/h - 51 db(A)	425 m³/h - 62 db(A)	540 m³/h - 68 db(A)	660 m³/h - 72 db(A)	720 m³/h - 74 db(A)
Hilight Glass H30	A	200 m³/h - 40 db(A)	380 m³/h - 50 db(A)	465 m³/h - 53 db(A)	690 m³/h - 63 db(A)	770 m³/h - 66 db(A)
Hilight-X H16	A	275 m³/h - 51 db(A)	425 m³/h - 62 db(A)	540 m³/h - 68 db(A)	660 m³/h - 72 db(A)	720 m³/h - 74 db(A)
Hilight-X H30	A	200 m³/h - 42 db(A)	380 m³/h - 55 db(A)	475 m³/h - 62 db(A)	690 m³/h - 67 db(A)	770 m³/h - 70 db(A)
Hydra	C	195 m³/h - 46 db(A)	256 m³/h - 63 db(A)	496 m³/h - 68 db(A)	---	---
Ikona	A	250 m³/h - 47 db(A)	355 m³/h - 55 db(A)	475 m³/h - 62 db(A)	---	610 m³/h - 67 db(A)
Ikona Light	A	250 m³/h - 47 db(A)	355 m³/h - 55 db(A)	475 m³/h - 62 db(A)	---	610 m³/h - 67 db(A)
Ikona Maxxi Pure	A	245 m³/h - 47 db(A)	360 m³/h - 56 db(A)	485 m³/h - 62 db(A)	---	600 m³/h - 67 db(A)
Illusion H16	A	275 m³/h - 51 db(A)	425 m³/h - 62 db(A)	540 m³/h - 68 db(A)	660 m³/h - 72 db(A)	720 m³/h - 74 db(A)
Illusion H30	A	200 m³/h - 40 db(A)	380 m³/h - 50 db(A)	465 m³/h - 53 db(A)	690 m³/h - 63 db(A)	770 m³/h - 66 db(A)
Interstellar	A	165 m³/h - 36 db(A)	209 m³/h - 53 db(A)	336 m³/h - 54 db(A)	---	384 m³/h - 56 db(A)
Joy	B	288 m³/h - 51 db(A)	432 m³/h - 61 db(A)	581 m³/h - 69 db(A)	---	713 m³/h - 73 db(A)
Joy Island	B	288 m³/h - 51 db(A)	432 m³/h - 61 db(A)	581 m³/h - 69 db(A)	---	713 m³/h - 73 db(A)
Juno	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	620 m³/h - 67 db(A)	---	---
Juno Urban	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	620 m³/h - 67 db(A)	---	---
Krea GFA	D	110 m³/h - 52 db(A)	206 m³/h - 64 db(A)	272 m³/h - 71 db(A)	---	---
Krea LUX	D	135 m³/h - 52 db(A)	185 m³/h - 61 db(A)	336 m³/h - 73 db(A)	---	---
Krea ST	D	110 m³/h - 52 db(A)	206 m³/h - 64 db(A)	272 m³/h - 71 db(A)	---	---
Kuadra	D	224 m³/h - 48 db(A)	320 m³/h - 56 db(A)	416 m³/h - 62 db(A)	---	496 m³/h - 66 db(A)
Kuadra Island	D	224 m³/h - 48 db(A)	320 m³/h - 56 db(A)	416 m³/h - 62 db(A)	---	496 m³/h - 66 db(A)
L'essenza	B	288 m³/h - 49 db(A)	432 m³/h - 57 db(A)	603 m³/h - 65 db(A)	---	691 m³/h - 68 db(A)
Lane	B	255 m³/h - 49 db(A)	400 m³/h - 58 db(A)	550 m³/h - 65 db(A)	---	650 m³/h - 68 db(A)
Lever	B	240 m³/h - 46 db(A)	336 m³/h - 54 db(A)	603 m³/h - 67 db(A)	---	---
Lol	A	280 m³/h - 52 db(A)	405 m³/h - 60 db(A)	540 m³/h - 67 db(A)	---	620 m³/h - 70 db(A)
Lullaby@ Duct-out	A	200 m³/h - 40 db(A)	380 m³/h - 50 db(A)	465 m³/h - 53 db(A)	690 m³/h - 63 db(A)	770 m³/h - 66 db(A)
Lullaby@ Filtering	**	100 m³/h - 44 db(A)	155 m³/h - 53 db(A)	237 m³/h - 63 db(A)	380 m³/h - 72 db(A)	474 m³/h - 76 db(A)
Majestic	B	288 m³/h - 49 db(A)	432 m³/h - 57 db(A)	603 m³/h - 65 db(A)	---	691 m³/h - 68 db(A)
Majestic No Drip	A	245 m³/h - 46 db(A)	345 m³/h - 53 db(A)	485 m³/h - 60 db(A)	---	600 m³/h - 66 db(A)
Meteorite	A	115 m³/h - 31 db(A)	410 m³/h - 55 db(A)	515 m³/h - 60 db(A)	620 m³/h - 64 db(A)	800 m³/h - 68 db(A)
Meteorite Island	A	115 m³/h - 31 db(A)	410 m³/h - 55 db(A)	515 m³/h - 60 db(A)	620 m³/h - 64 db(A)	800 m³/h - 68 db(A)

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE
LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Mini Om	A	240 m³/h - 48 db(A)	320 m³/h - 50 db(A)	590 m³/h - 63 db(A)	---	---
Missy	D	165 m³/h - 49 db(A)	225 m³/h - 55 db(A)	395 m³/h - 68 db(A)	---	---
Moon	C	285 m³/h - 52 db(A)	425 m³/h - 61 db(A)	570 m³/h - 68 db(A)	---	690 m³/h - 72 db(A)
Moon Island	C	285 m³/h - 52 db(A)	425 m³/h - 61 db(A)	570 m³/h - 68 db(A)	---	690 m³/h - 72 db(A)
Nuage	A	230 m³/h - 49 db(A)	330 m³/h - 53 db(A)	440 m³/h - 62 db(A)	---	580 m³/h - 65 db(A)
Om Air	A	230 m³/h - 42 db(A)	325 m³/h - 50 db(A)	510 m³/h - 60 db(A)	---	650 m³/h - 66 db(A)
Open Suite	**	364 m³/h - 64 db(A)	426 m³/h - 67 db(A)	480 m³/h - 69 db(A)		526 m³/h - 71 db(A)
Open Suite Superior	**	364 m³/h - 64 db(A)	426 m³/h - 67 db(A)	480 m³/h - 69 db(A)		526 m³/h - 71 db(A)
Pandora	A	208 m³/h - 45 db(A)	288 m³/h - 49 db(A)	496 m³/h - 59 db(A)	---	669 m³/h - 67 db(A)
Pandora GME	C	240 m³/h - 58 db(A)	336 m³/h - 60 db(A)	581 m³/h - 71 db(A)	---	713 m³/h - 72 db(A)
Pix	A	250 m³/h - 44 db(A)	358 m³/h - 53 db(A)	445 m³/h - 60 db(A)	---	610 m³/h - 65 db(A)
Plat	A	160 m³/h - 37 db(A)	315 m³/h - 50 db(A)	420 m³/h - 57 db(A)	---	710 m³/h - 69 db(A)
Reef	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Reef Island	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Rubino Corner	C	224 m³/h - 42 db(A)	336 m³/h - 51 db(A)	603 m³/h - 64 db(A)	---	---
Rules	A	160 m³/h - 40 db(A)	330 m³/h - 53 db(A)	415 m³/h - 58 db(A)	---	700 m³/h - 71 db(A)
Seashell	**	180 m³/h - 55 db(A)	265 m³/h - 63 db(A)	335 m³/h - 67 db(A)	---	400 m³/h - 70 db(A)
Sheen-S	A	275 m³/h - 52 db(A)	385 m³/h - 59 db(A)	495 m³/h - 65 db(A)	---	650 m³/h - 71 db(A)
Shining	A	160 m³/h - 36 db(A)	205 m³/h - 41 db(A)	335 m³/h - 53 db(A)	---	380 m³/h - 56 db(A)
Shire	A	275 m³/h - 52 db(A)	495 m³/h - 64 db(A)	---	---	650 m³/h - 71 db(A)
Shy-S	A	275 m³/h - 52 db(A)	385 m³/h - 59 db(A)	495 m³/h - 65 db(A)	---	650 m³/h - 71 db(A)
Sinfonia	B	395 m³/h - 56 db(A)	515 m³/h - 62 db(A)	620 m³/h - 70 db(A)	---	760 m³/h - 73 db(A)
Skydome H16	A	200 m³/h - 42 db(A)	380 m³/h - 55 db(A)	465 m³/h - 58 db(A)	690 m³/h - 67 db(A)	770 m³/h - 70 db(A)
Skydome H30	A	200 m³/h - 40 db(A)	380 m³/h - 50 db(A)	465 m³/h - 53 db(A)	690 m³/h - 63 db(A)	770 m³/h - 66 db(A)
Spot NG	D	195 m³/h - 55 db(A)	224 m³/h - 56 db(A)	368 m³/h - 62 db(A)	---	---
Spot Plus	A	280 m³/h - 52 db(A)	405 m³/h - 60 db(A)	540 m³/h - 67 db(A)	---	620 m³/h - 70 db(A)
Spot Plus Island	A	280 m³/h - 52 db(A)	405 m³/h - 60 db(A)	540 m³/h - 67 db(A)	---	620 m³/h - 70 db(A)
Spot Urban	B	270 m³/h - 52 db(A)	375 m³/h - 59 db(A)	630 m³/h - 71 db(A)	---	---
Stone	C	240 m³/h - 44 db(A)	368 m³/h - 53 db(A)	559 m³/h - 67 db(A)	---	---
Stripe	B	304 m³/h - 50 db(A)	432 m³/h - 58 db(A)	603 m³/h - 65 db(A)	---	757 m³/h - 69 db(A)
Stripe Urban	B	288 m³/h - 50 db(A)	432 m³/h - 58 db(A)	603 m³/h - 65 db(A)	---	757 m³/h - 69 db(A)
Summilux	A	165 m³/h - 36 db(A)	205 m³/h - 41 db(A)	336 m³/h - 53 db(A)	---	384 m³/h - 56 db(A)
Super Plat	A	175 m³/h - 37 db(A)	325 m³/h - 50 db(A)	415 m³/h - 57 db(A)	600 m³/h - 65 db(A)	740 m³/h - 70 db(A)
Sweet	A	230 m³/h - 46 db(A)	335 m³/h - 54 db(A)	465 m³/h - 61 db(A)	---	580 m³/h - 66 db(A)

* Velocità intensive temporizzate *Booster time speeds
** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Synthesis	C	240 m³/h - 44 db(A)	368 m³/h - 55 db(A)	496 m³/h - 63 db(A)	---	559m³/h - 67 db(A)
Tamaya	D	285 m³/h - 53 db(A)	365 m³/h - 58 db(A)	430 m³/h - 62 db(A)	---	---
Thin	A	145 m³/h - 34 db(A)	300 m³/h - 47 db(A)	385 m³/h - 52 db(A)	560 m³/h - 60 db(A)	680 m³/h - 64 db(A)
Thin Island	A	145 m³/h - 34 db(A)	300 m³/h - 47 db(A)	385 m³/h - 52 db(A)	560 m³/h - 60 db(A)	680 m³/h - 64 db(A)
Tonda	D	265 m³/h - 60 db(A)	325 m³/h - 65 db(A)	355 m³/h - 67 db(A)	---	---
Tribe	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Tribe Island	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Tube Pro	C	240 m³/h - 47 db(A)	368 m³/h - 56 db(A)	603 m³/h - 68 db(A)	---	---
Tube Pro Island	C	240 m³/h - 47 db(A)	368 m³/h - 56 db(A)	603 m³/h - 68 db(A)	---	---
Vega	D	115 m³/h - 52 db(A)	205 m³/h - 64 db(A)	270 m³/h - 71 db(A)	---	---
Vertigo	B	310 m³/h - 50 db(A)	450 m³/h - 59 db(A)	610 m³/h - 66 db(A)	---	740 m³/h - 70 db(A)
Wave UX	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	520 m³/h - 62 db(A)	---	610 m³/h - 67 db(A)
Ye	A	220 m³/h - 45 db(A)	300 m³/h - 52 db(A)	455 m³/h - 61 db(A)	---	600 m³/h - 66 db(A)

	ENERGY CLASS	1 SPEED m³/h-db(A)	2 SPEED m³/h-db(A)	3 SPEED m³/h-db(A)	4 SPEED m³/h-db(A)	5 SPEED m³/h-db(A)	6 SPEED m³/h-db(A)	7 SPEED m³/h-db(A)	8 SPEED m³/h-db(A)	9 SPEED m³/h-db(A)	BOOSTER 1* m³/h-db(A)	BOOSTER 2* m³/h-db(A)
NT FIT (Duct-out)	A	165 - 45	320 - 52	385 - 57	---	---	---	---	---	---	515 - 63	620 - 68
NT FLAME (Duct-out)	A	225 - 48	315 - 56	400 - 62	---	---	---	---	---	---	485 - 66	600 - 71
NT FLAME (Filtering)	A	185 - 53	300 - 63	380 - 68	---	---	---	---	---	---	460 - 72	550 - 77
NT LIBRA (Duct-out)	A	185 - 46	285 - 54	430 - 63	---	---	---	---	---	---	540 - 69	610 - 72
NT LIBRA (Filtering)	A	170 - 48	275 - 58	415 - 67	---	---	---	---	---	---	495 - 71	545 - 73
NT ONE (Duct-out)	A+	130 - 34	205 - 44	235 - 47	280 - 51	305 - 54	335 - 56	370 - 58	390 - 59	410 - 61	640 - 72	---
NT ONE (Filtering)	A+	105 - 40	170 - 50	200 - 53	235 - 57	260 - 59	290 - 62	320 - 64	340 - 65	360 - 67	545 - 77	---
NT PRIME (Duct-out)	A	185 - 46	285 - 54	430 - 63	---	---	---	---	---	---	540 - 69	610 - 72
NT PRIME (Filtering)	A	170 - 48	275 - 58	415 - 67	---	---	---	---	---	---	495 - 71	545 - 73
NT SWITCH (Duct-out)	A+	135 - 33	190 - 41	220 - 44	260 - 49	290 - 52	315 - 54	350 - 57	375 - 59	---	590 - 70	630 - 71
NT SWITCH (Filtering)	A+	110 - 39	160 - 48	190 - 51	230 - 55	255 - 58	280 - 60	310 - 62	330 - 64	---	540 - 75	550 - 76

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI

LEARN MORE

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Acuta	---	√	√	√
Adèle	√	√	√	√
Adèle Island	√	√	√	√
Aplomb	---	√	√	√
Belt	---	√	√	√
Bio	---	√	√	√
Bio Island	---	√	√	√
Bloom	---	√	√	√
Bloom-S	---	√	√	√
Boxin	√	---	---	---
Boxin Lx	√	---	---	√
Boxin No Drip	√	√	√	---
Boxin Plus	√	---	---	√
Ciak Lux	---	---	---	---
Circus	√	---	---	---
Cloud Seven	---	√	√	---
Cruise	---	√	√	√
Easy UX	---	√	√	---
Edith	---	√	√	---
Elektra	---	√	√	---
Elibloc Ht	---	---	---	---
Elibloc Lux	√	---	---	---
Elite 14	---	---	---	√
Elite 35	---	√	√	√
Elle	---	√	√	√
Era	---	---	---	√
Era C	---	---	---	√
Era S	---	---	---	√
Estraibile	---	---	---	---
Flat Glass	√	---	---	√

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Galaxy	---	√	√	√
Galaxy Island	---	√	√	√
Getup	---	√	√	---
Glass Out	---	√	√	√
Haiku	√	√	√	√
Haiku Island	√	√	√	√
Hidden 2.0	√	√	√	√
Hidden 2.0 @	√	√	√	√
Hilight Glass H16/H30	---	√	√	---
Hilight-X H16/H30	---	√	√	---
Hydra	---	---	---	---
Ikona	√	√	√	---
Ikona Light	---	√	√	---
ikona Maxxi Pure	---	√	√	---
Illusion H16/H30	---	√	√	---
Interstellar	---	√	√	---
Joy	√	√	√	---
Joy Island	---	√	√	√
Juno	---	---	---	---
Juno Urban	---	---	---	---
Krea ST	---	---	---	---
Krea GFA	---	---	---	---
Krea LUX	---	---	---	---
Kuadra	√	√	√	√
Kuadra Island	√	√	√	√
L'essenza	---	√	√	√
Lane	√	√	√	√
Lever	---	---	---	√
Lol	---	√	√	√
Lullaby@ Duct-Out	---	√	√	---

APPROFONDIMENTI

LEARN MORE

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Majestic	---	√	√	√
Majestic No Drip	---	√	√	√
Meteorite	---	√	√	√
Meteorite Island	---	√	√	√
Mini Om	---	---	---	√
Missy	---	---	---	√
Moon	---	√	√	√
Moon Island Duct-out	---	√	√	---
Moon Island Filtering	√	√	√	---
Nuage	---	√	√	---
Om Air	---	√	√	---
Open Suite	---	√	√	---
Open Suite Superior	---	√	√	---
Pandora	---	√	√	---
Pix	---	√	√	---
Plat	---	√	√	---
Reef	---	√	√	√
Reef Island	---	√	√	√
Rubino Corner	√	---	---	---
Rules	---	√	√	√
Seashell	---	---	---	---
Sheen-s	---	√	√	√
Shining	---	√	√	---
Shire	---	√	√	√
Shy-S	---	√	√	√
Sinfonia	---	√	√	√
Skydome H16/H30	---	√	√	---
Spot NG	√	---	---	√
Spot Plus	√	√	√	---
Spot Plus Island	√	√	√	---

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Spot Urban	√	---	---	√
Stone	---	---	---	---
Stripe	---	√	√	√
Stripe Urban	---	√	√	√
Summilux	---	√	√	---
Super Plat	---	√	√	---
Sweet Duct-out	√	√	√	√
Sweet Filtering	---	√	√	√
Synthesis	---	√	√	---
Tamaya	---	---	---	---
Thin	---	√	√	√
Thin Island	√	√	√	√
Tonda	√	---	---	---
Tribe	---	√	√	√
Tribe Island	---	√	√	√
Tube Pro	---	---	---	√
Tube Pro Island	√	---	---	√
Vega	---	---	---	---
Vertigo	---	√	√	√
Wave UX	---	√	√	---
Ye	---	---	---	√

ATTENZIONE AL PESO DELLA CAPPA

LEARN MORE ABOUT WEIGHT

Nei casi in cui il nostro progetto cucina preveda una cappa di tipo a isola, sospesa o inserita in un controsoffitto (ceiling), è buona norma fare attenzione nel realizzare una struttura in cartongesso che possa sostenere il peso della cappa stessa.


Il peso varia a seconda dei modelli e degli ingombri e la tabella seguente è un valido aiuto per costruire un sostegno adeguato senza dover rinunciare ad un open space pratico e di tendenza.

In kitchen designs featuring an island, suspended or ceiling hood (built into a false ceiling), it is important that the plasterboard structure is able to support the weight of the hood itself.

The weight varies depending on the model and overall dimensions, and the following table is a useful aid in developing a suitable support without needing to forgo a practical and stylish open space.

	PESO NETTO WEIGHT
ADÉLE ISLAND	29,00 Kg
BIO ISLAND	32,80 Kg
CLOUD SEVEN (DUCT-OUT)	17,70 Kg
CLOUD SEVEN (FILTERING)	19,50 Kg
EASY UX	11,65 Kg
EDITH	19,25 Kg
GALAXY ISLAND	24,50 Kg
HAIKU ISLAND (32 cm)	33,70 Kg
HAIKU ISLAND (120 cm)	46,30 Kg
HAIKU ISLAND (180 cm)	55,10 Kg
HILIGHT GLASS / HILIGHT-X (H16)	31,00 Kg
HILIGHT GLASS/ HILIGHT-X (H30)	34,10 Kg
HILIGHT GLASS/HILIGHT-X (NO MOTOR)	24,80 Kg
IKONA	25,00 Kg
IKONA LIGHT	11,00 Kg
IKONA MAXXI PURE	23,00 Kg
ILLUSION (H16)	23,00 Kg
ILLUSION (H30)	23,70 Kg
ILLUSION (NO MOTOR)	19,50 Kg
INTERSTELLAR	27,10 Kg
JOY ISLAND	28,75 Kg
JUNO	13,40 Kg
JUNO URBAN	13,50 Kg
KUADRA ISLAND (43 cm)	28,60 Kg
KUADRA ISLAND (60 cm)	33,50 Kg

	PESO NETTO WEIGHT
LULLABY@ (DUCT-OUT)	42,00 Kg
LULLABY@ (FILTERING)	50,00 Kg
METEORITE ISLAND	40,40 Kg
MOON ISLAND (90x60 cm)	29,75 Kg
MOON ISLAND (120x60 cm)	33,50 Kg
MOON ISLAND (180x60 cm)	60,30 Kg
OPEN SUITE SUPERIOR (80CM)	38,00 Kg
OPEN SUITE SUPERIOR (160CM)	66,00 Kg
PIX	16,40 Kg
REEF ISLAND	26,20 Kg
SEASHELL	33,80 Kg
SHINING	19,00 Kg
SKYDOME (H16)	25,20 Kg
SKYDOME (H30)	27,20 Kg
SKYDOME (NO MOTOR)	21,70 Kg
SPOT PLUS ISLAND	26,90 Kg
SUMMILUX	22,20 Kg
THIN ISLAND	34,20 Kg
TRIBE ISLAND	26,00 Kg
TUBE PRO ISLAND	26,35 Kg
WAVE UX	12,00 Kg
YE	66,00 Kg




duct-out min 619 - max 1140
filtering min 716 - max 1140

240
237
522
61
598 - 898

250
247
301
457

88

duct-out min 630 - max 1060
filtering min 760 - max 1060

Aplomb


[illegible]

Technical drawings of the Bio Island unit showing dimensions in millimeters (mm):


- Side View (Top Left):** Shows a base width of 304.4 mm, a base height of 50 mm, and a base thickness of 20 mm. The base has a central cutout with a width of 108 mm and a depth of 16.2 mm.
- Side View (Bottom Left):** Shows a base width of 304.4 mm, a base height of 50 mm, and a base thickness of 20 mm. The base has a central cutout with a width of 108 mm and a depth of 16.2 mm.
- Front View (Top Right):** Shows a base width of 515 mm, a base height of 451 mm, and a base thickness of 20 mm. The base has a central cutout with a width of 108 mm and a depth of 16.2 mm. The top of the unit has a width of 204 mm and a height of 38 mm.
- Top View (Bottom Right):** Shows a base width of 829.6 mm, a base height of 56.8 mm, and a base thickness of 20 mm. The base has a central cutout with a width of 490 mm and a depth of 336.4 mm. The top of the unit has a width of 204 mm and a height of 38 mm.

[illegible]


• Boxin - Boxin Plus




• Boxin No Drip




• Ciak




• Circus




• Cloud Seven (Duct-out)




• Cloud Seven (Filtering)




• Cruise




• Easy UX




• Edith




• Elektra




• Elibloc




• Elite 14




• Elite 35




• Elle




• Era - Era C- Era S




• Estraibile




• Haiku Island 120cm




• Haiku Island 180cm




• Hidden 2.0 / Hidden 2.0 @




• Hilight Glass / Hilight-X (H16)




• Hilight Glass / Hilight-X (H30)




• Hilight Glass / Hilight-X (No motor)




• Hydra




• Ikona




• Ikona Light




• Ikona Maxxi Pure




• Illusion (H16)




• Illusion (H30)




• Illusion (NO MOTOR)




• Interstellar



• Joy



• Joy Island



Krea

Technical drawing of a kitchen island (Krea) showing dimensions and a detail view. The main view shows a rectangular island with a width of 510 and a depth of 410. The height is 132.5. A detail view shows a cross-section of the island with a width of 599 - 899 and a height of 85. The detail view also shows a circular hole with a diameter of $\varnothing 125$ and a distance of 36.5 from the edge. The main view shows a distance of 62.7 from the edge to the center of the hole. The detail view shows a distance of 85.5 from the edge to the center of the hole. The main view shows a distance of 195 from the edge to the center of the hole. The detail view shows a distance of 29 from the edge to the center of the hole.

Technical drawing of the 1000 Series cabinet showing three views: front, top, and side.

- Front View:** Shows a cabinet with a height of 890 mm and a width of 430 - 600 mm. The front panel features three small circular handles.
- Top View:** Shows a cabinet with a width of 430 mm and a depth of 82 mm. The top surface has a circular feature with a diameter of $\varnothing 148$ mm.
- Side View:** Shows a cabinet with a depth of 572 mm.

Technical drawing of the 1150 series air conditioning unit, showing three views: top, front, and side.

Top View Dimensions:

- Width: 430 - 600 mm
- Height: 685 mm
- Mounting bracket detail: $\varnothing 147$ mm diameter, 179 mm height.

Front View Dimensions:

- Height: 685 mm

Side View Dimensions:


- Depth: 408 mm
- Top section depth: 179 mm
- Bottom section depth: 430 mm

Filtering and Duct-out Dimensions:


- Filtering Min. 850 - Max. 1150
- Duct-out min 850 - max 1130

[illegible][illegible]


• Lullaby@ (Aspirante)




• Lullaby@ (Filtrante)




• Majestic / Majestic No Drip




• Meteorite




• Meteorite Island




• Mini Om




• Missy




• Moon




• Moon Island




• Nikolatesla Fit (Aspirante)




• Nikolatesla Flame (Aspirante)




• Nikolatesla Flame (Filtrante)




• Nikolatesla Libra (Aspirante)




• Nikolatesla Libra (Filtrante)




• Nikolatesla One (Aspirante)




• Nikolatesla One (Filtrante)




- Nikola Tesla Prime (Aspirante)




- Nikola Tesla Prime (Filtrante)




- Nikola Tesla Switch (Aspirante)




- Nikola Tesla Switch (Filtrante)




- Nuage




- Om Air




- Open Suite




- Open Suite Superior




• Pandora




• Pix




• Plat




• Reef




• Reef Island




• Rubino Corner




• Rules




• Seashell




- Sheen-S




- Shining




- Shire




- Shy-S




- Sinfonia




- Skydome (H16)




- Skydome (H30)




- Skydome (NO MOTOR)




• Spot NG - Spot Plus




• Spot Urban




• Spot Plus Island




• Stone




• Stripe




• Stripe Urban




• Summilux




• Super Plat




• Sweet




• Synthesis




• Tamaya




• Thin




• Thin Island




• Tonda




• Tribe




• Tribe Island




• Tube Pro




• Tube Pro Island




• Vega




• Vertigo



• Wave UX



• Ye



NOTE

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings visible.

[illegible]

L'IMPORTANZA DELLA CAPPA IN CUCINA THE IMPORTANCE OF THE HOOD IN THE KITCHEN

La cappa è un alleato imprescindibile in cucina per migliorare la qualità dell'aria e mantenere un ambiente sano. I fumi della combustione, i cattivi odori, l'odore e i vapori della cottura sono infatti fastidiosi e dannosi non solo per le persone, ma possono deteriorare anche i mobili e le pareti. È quindi importante assicurare una aspirazione efficace, di facile utilizzo e silenziosa che possa rimuoverli lasciando l'ambiente più salubre e pulito.

Eclettica nelle funzioni, la cappa viene oggi utilizzata non solo come fondamentale corpo aspirante, ma anche come fonte luminosa in grado di illuminare al meglio il piano cottura o di creare atmosfere più soffuse, o come vero e proprio complemento d'arredo. I numerosi modelli e finiture disponibili sul mercato permettono di personalizzare l'ambiente in base al design della propria cucina e dei singoli gusti: che sia minimal e lineare o di grande impatto e protagonista, la cappa oggi è diventata un elemento centrale nelle nostre cucine.

The extractor hood is an essential tool in the kitchen, helping to improve air quality and maintain a healthy environment. Combustion fumes, unpleasant smells, odours and cooking vapours are, in fact, both annoying and harmful not only for people, but can also deteriorate furniture and walls. It is, therefore, important to ensure effective, easy-to-use and silent extraction that can eliminate them, leaving the kitchen more hygienic and cleaner. With its eclectic function, the hood is now used not only as a basic extractor unit, but also as a light source to illuminate the hob, to create softer atmospheres or as an authentic furnishing accessory. The numerous models and finishes available on the market allow you to customise the space according to the design of your kitchen and individual taste: whether it is minimal and linear or a statement, signature piece, the hood today has become a central element in our kitchens.

QUALE CAPPA SCEGLIERE?

WHICH HOOD SHOULD I CHOOSE?

Tra i tanti modelli disponibili è difficile orientarsi sulla scelta migliore. Per trovare la cappa che più si adatta al proprio ambiente, gusto e stile di vita bisogna tenere in considerazione alcuni fattori principali: corretta potenza di aspirazione, tipologia di installazione, design della cucina. Per ripulire al meglio l'aria, la cappa deve avere la giusta potenza di aspirazione. Valuta le dimensioni della tua cucina e le tue abitudini culinarie. Con un semplice calcolo è possibile definire quale sia la portata ideale per ogni ambiente: basta moltiplicare per 10 il volume della stanza. Facilità di utilizzo e silenziosità sono altre due variabili importanti che ti aiuteranno a vivere una user experience appagante.

It can be difficult to find the best choice among the many models on offer. To find the hood that best suits your space, personal taste and lifestyle, you should consider several key factors: correct extraction power, type of installation and kitchen design. For the best air removal performance, the hood must offer the right extraction power. Take a look at the size of your kitchen and your cooking habits. With a simple calculation, it is possible to define the ideal flow rate for each room: just multiply the room volume by 10. Ease-of-use and silence are another two important variables that will help you achieve the best user experience.

La tipologia di installazione è fondamentale per restringere il campo e indirizzarsi sulla categoria necessaria per la propria cucina.

The type of installation is essential in narrowing the field and finding the category you need for your kitchen.



AD INCASSO BUILT-IN

La cappa è incassata all'interno del pensile, scomparendo alla vista.


The hood is built into the cabinet, disappearing from view.



A PARETE WALL-MOUNTED

La cucina è posizionata contro la parete con il piano cottura in adiacenza al muro. Cappa da installare a parete.

The kitchen is positioned against the wall with the hob adjacent to the wall. Wall-mounted hood.

**A ISOLA** ISLAND

La cucina è posizionata al centro della stanza con il piano cottura distante dal muro. Cappa da installare a soffitto.

The kitchen is positioned in the centre of the room with the hob away from the wall. Ceiling-mounted hood.

**AD ANGOLO** CORNER

La cucina è sviluppata tra due pareti della stanza e il piano cottura è posizionato a ridosso dell'angolo. Cappa da installare tra le pareti adiacenti.

The kitchen is laid out between two walls of the room and the hob is positioned close to the corner. Install the hood between adjacent walls.

**CEILING**

La cucina è posizionata o al centro della stanza o contro la parete. La cappa diventa luce e aspirazione e si installa nel controsoffitto.

The kitchen is positioned either in the centre of the room or against the wall. The hood acts as both a light and extractor and is installed in the false ceiling.

**DOWNDRAFT**

Il piano cottura è posizionato distante dal muro, su un bancone a penisola o al centro della stanza. Cappa da installare direttamente sul top.

The hob is positioned away from the wall, on a peninsula counter or in the centre of the room. Install the hood directly on the top.

**SOSPESA** SUSPENDED

Cappa da installare a soffitto, a sospensione come un lampadario.

Install the hood on the ceiling, suspended like a pendant light.

**PIANO COTTURA ASPIRANTE**
EXTRACTOR HOB

La cappa è integrata nel piano cottura. Aspirazione dal basso.

The hood is integrated into the hob. Extraction from below

COME INSTALLARLA?

HOW IS IT INSTALLED?

Il perfetto funzionamento della cappa è assicurato da una corretta installazione, garantita da personale specializzato. Il montaggio e la manutenzione variano in base alle due tipologie di cappa: aspirante e filtrante.

Molti i modelli Elica sono predisposti per lavorare in entrambe le versioni. Prima di procedere all'installazione della tua cappa, tieni a mente queste semplici regole di base:


- Segui tutte le fasi indicate nel libretto di istruzioni;
- Collega la cappa aspirante all'esterno con una tubazione dedicata dal diametro 120-150mm: una lunghezza ridotta e l'assenza di curvature garantiscono prestazioni ottimali.
- Rispetta la distanza minima dal piano cottura indicata nel libretto, al fine di evitare danni alle parti funzionali e salvaguardare la sicurezza delle persone;
- Controlla che la posizione della presa elettrica sia in prossimità del prodotto per il collegamento;
- In caso di difficoltà richiedi l'intervento di un tecnico specializzato di tua fiducia.

Perfect hood operation is ensured by correct installation, guaranteed by specialised personnel. Assembly and maintenance vary according to the two types of hood: extractor and filter. Many Elica models are designed to work in both versions. Before starting installation of your hood, bear in mind these simple, basic rules:

- Follow all the steps indicated in the instruction booklet;
- Connect the extractor hood to the outside using a dedicated pipe with a diameter of 120-150mm: a shorter length and the absence of bends guarantee the best performance.
- Respect the minimum distance from the hob indicated in the booklet to avoid damage to the operational parts and protect personal safety;
- Ensure that the location of the electrical outlet is close to the product for connection;
- In case of difficulty, request the intervention of a specialised technician.

CAPPA FILTRANTE

FILTER HOOD




La cappa filtrante elimina fumi e cattivi odori attraverso i filtri dedicati e reimmette l'aria ripulita nell'ambiente cucina. Questa tipologia è adatta in situazioni prive del foro di evacuazione all'esterno.

The filter hood eliminates fumes and unpleasant odours via dedicated filters and returns clean air to the kitchen. This type of hood is suitable in situations without no external evacuation hole.

CAPPA ASPIRANTE

EXTRACTOR HOOD



La cappa aspirante espelle l'aria all'esterno dell'abitazione. È la tipologia più diffusa in quanto garantisce elevate prestazioni, alta portata e bassa rumorosità.

The extractor hood expels the air outside the home. It is the most common type as it guarantees high performance, high flow rate and minimum noise.

MANUTENZIONE MAINTENANCE

Per assicurare una lunga durata e un corretto funzionamento della tua cappa, il primo passo è mantenere in ottimo stato il sistema di filtraggio.

To ensure that your hood lasts for a long time and continues to work correctly, the first step is to keep the filtering system in tip-top condition.



Le cappe filtranti prevedono due tipologie di filtro: il filtro grassi, che ripulisce l'aria dai grassi dispersi durante la cottura, e il filtro odori. Entrambi vanno regolarmente puliti e sostituiti per assicurare performance sempre alte.

- Il filtro grassi protegge la tua cappa trattenendo le particelle di grasso. Il filtro grassi può essere in versione alluminio o inox e richiede una pulizia periodica a mano con detergente neutro o in lavastoviglie a basse temperature (*), oppure in carta. In questo caso va sostituito ogni mese in base all'utilizzo.
- Il filtro odori, a carboni attivi, installato sulle cappe filtranti, cattura e trattiene le particelle odorose dell'aria. Ricorda di sostituirlo ogni 3-4 mesi. I filtri odori long life hanno invece una durata maggiore: sono infatti rigenerabili, possono essere lavati e asciugati e sostituiti ogni due anni. Bastano semplici e piccole accortezze per mantenere sana ed efficiente la tua cappa nel tempo.

(*) Verificare sempre come lavare il filtro sul libretto d'istruzione del prodotto

Filter hoods feature two types of filter: the grease filter which removes the grease from the air dispersed during cooking and the odour filter. Both must be regularly cleaned and replaced to ensure the very best performance.

- The grease filter protects your hood by trapping grease particles. The grease filter can be made of aluminium or stainless steel and requires periodic cleaning by hand with a neutral detergent or in the dishwasher at a low temperature (*), or alternatively in a paper version. In this case, it must be replaced every month based on use.
- The odour filter with activated carbon, installed on filter hoods, captures and traps odour particles in the air. Remember to replace it every 3-4 months. Long-life odour filters, on the other hand, last longer. They can, in fact, be regenerated and washed, dried and replaced every two years. A few simple, minor precautions are all it takes to keep your hood hygienic and working efficient over time.

(*) Always check how to wash the filter in the product instruction booklet

ETICHETTA ENERGETICA

ENERGY LABEL

L'Etichetta Energetica è uno strumento fondamentale per scegliere la cappa aspirante più idonea alle proprie esigenze. Dalla sua lettura è possibile ottenere immediatamente informazioni non solo in merito ai suoi consumi di energia, ma anche un quadro semplice e chiaro dell'efficienza con cui essa espleta le sue funzioni.

In ciascuna pagina del catalogo trovate un simbolo che indica la Classe Energetica del prodotto presentato.

Per ottenere informazioni dettagliate di ciascuna versione del modello di interesse, tra cui tutti i parametri riportati nell'etichetta energetica, procedere come segue:


- Identificare il **codice del prodotto** di interesse
- Nel sito web **www.elica.com** accedere alla sezione DOWNLOADS dell'area ASSISTENZA, inserire il codice del prodotto nell'apposito campo di ricerca e scaricare il documento PDF (Product Fiche) che riporta tutte le caratteristiche del prodotto, in accordo ai regolamenti EU n° 65/2014 e 66/2014.

The Energy Label constitutes a fundamental tool for choosing the most suitable extractor hood for the user's needs. The label provides instant information on energy consumption and the level of efficiency of the product's performances.

Each page of our catalogue contains a symbol indicating the energy class of the product presented.

For obtaining detailed information on each version of the desired model, including all the parameters appearing on the energy label, proceed as follows:

- Identify the **product code** of the relevant model
- Visit the website **www.elica.com** and go to the DOWNLOADS section of the ASSISTANCE page, insert the product code in the search field and download the PDF document (Product Fiche) listing all the product characteristics, as per EU regulations no. 65/2014 and 66/2014.



1	NOME O MARCHIO DEL FORNITORE	SUPPLIER NAME OR BRAND.
2	IDENTIFICATIVO DEL MODELLO	MODEL IDENTIFICATION CODE.
3	CLASSE DI EFFICIENZA ENERGETICA A/A+/A++/A+++ Massima efficienza - D Minima.	ENERGY EFFICIENCY CLASS A/A+/A++/A+++ Maximum efficiency - D Minimun.
4	CONSUMO ANNUO DI ENERGIA STIMATO Per utilizzo standard.	ESTIMATED ANNUAL ENERGY CONSUMPTION For standard use
5	CLASSE DI EFFICIENZA FLUIDODINAMICA Indica l'efficienza con cui la cappa è in grado di aspirare i vapori generati dalla cottura. A Massima efficienza - G Minima.	FLUID DYNAMIC EFFICIENCY CLASS Indicates the efficiency with which the hood is able to extract vapours through cooking A Maximum efficiency - G Minimun.
6	CLASSE DI EFFICIENZA LUMINOSA Indica l'efficienza con cui la cappa illumina il piano cottura. A Massima efficienza - G Minima.	LIGHTING EFFICIENCY CLASS Indicates the efficiency with which the hood is able to illuminate the cooker hob A Maximum efficiency - G Minimun.
7	CLASSE EFFICIENZA FILTRAGGIO GRASSI Indica l'efficienza con cui la cappa filtra i grassi generati dalla cottura. A Massima efficienza - G Minima.	GREASE FILTERING EFFICIENCY CLASS Indicates the efficiency with which the hood filters grease generated through cooking A Maximum efficiency - G Minimun.
8	LIVELLO DI RUMOROSITÀ Indica il massimo livello di rumore generato dal prodotto nell'utilizzo normale.	NOISE LEVEL Indicates the maximum noise level generated by the product during normal use

BENVENUTO NEL SERVICE DI ELICA

WELCOME TO ELICA SERVICE

NUMERO ASSISTENZA

02.382.93.009

Un centro di supporto specializzato a disposizione dal lunedì al venerdì dalle 08:00 alle 20:00 e il sabato dalle 08:00 alle 14:00.

E-MAIL PER ASSISTENZA TECNICA

trade.italia@consumercare.elica.com

CENTRI ASSISTENZA

Il Service di Elica, attraverso un network composto da 180 service partner selezionati, garantisce una copertura capillare del territorio nazionale.

SUPPORTO DEDICATO SU ELICA.COM

È possibile eseguire il download dei libretti di istruzioni direttamente su elica.com. Inoltre, per ulteriori approfondimenti, è disponibile un form di assistenza tecnica.

ACCESSORI E RICAMBI ORIGINALI

Una corretta manutenzione e la regolare sostituzione dei filtri carbone sono fondamentali per garantire il perfetto funzionamento dei nostri prodotti.

I filtri carbone e grassi, gli accessori (es. tubazioni, telecomandi e lampade) e i prodotti per la pulizia sono disponibili su shop.elica.com

GARANZIA 24 MESI

Tutti i prodotti Elica godono della garanzia legale di 2 anni a partire dalla data di acquisto del prodotto.

PERCHÉ ACCONTENTARSI QUANDO PUOI AVERE DI PIÙ?

DEEP BREATHE ASSISTANCE

Acquistala per avere fino a **5 anni** di garanzia

- Estensione dell'assistenza a cinque anni
- Nessun costo aggiuntivo per intervento
- Ricambi originali Elica
- Centri assistenza selezionati

Chiama il numero assistenza o collegati al sito.

SERVICE NUMBER

02.382.93.009

A specialized support center available from Monday to Friday from 8 am to 8 pm and on Saturday from 8 am to 2 pm.

EMAIL FOR TECHNICAL SUPPORT

trade.italia@consumercare.elica.com

SERVICE CENTRES

Elica's service, through a network of 180 selected service partners, guaranteeing widespread coverage throughout Italy.

DEDICATED SUPPORT ON ELICA.COM

Instruction handbooks can be downloaded directly on elica.com. For further information, a technical support form is also available.

ACCESSORIES AND ORIGINAL SPARE PARTS

Proper maintenance and the regular replacement of the carbon filters is essential in guaranteeing the perfect operation of our products.

Carbon and grease filters, accessories (ex. pipings, remote controls and lamps) and cleaning products are available on shop.elica.com.

24-MONTH WARRANTY

All Elica products enjoy a 2-year manufacturer's warranty, effective from the date of purchase.

WHY SETTLE FOR SECOND BEST WHEN YOU CAN HAVE SO MUCH MORE?

DEEP BREATH ASSISTANCE

Purchase it to enjoy up to **5 years'** warranty

- Warranty extension to five years
- No additional costs for intervention
- Elica original spare parts
- Selected service centres

Call the service number or go to the website.



shop.elica.com

REALIZED BY ELICA TEAM
BARBARA PERSIGILLI
Graphic Design
and Coordination

IN COLLABORATION WITH

MMG - GALLARATE
Project Art Direction

ARCHÈ AGENCY - PESARO
Scenic Art Direction
Photorealistic 3D

SELECOLOR - FIRENZE
Post Production
Color Separation

GRAFICHE ANTIGA - TREVISO
Printing



**Il catalogo è proprietà di Elica spa. Tutti i diritti sono riservati.
È vietata ogni forma di riproduzione anche parziale.**

This catalogue is of exclusive property of Elica spa.
All rights are reserved. Any form of total or partial reproduction of
catalogue is strictly forbidden.

**La stampa tipografica non sempre riproduce fedelmente le tinte ed i
materiali originali.**

The printing process do not always permit a faithful reproducton of
tones and materials of originals.

**Elica si riserva di apportare modifiche ai dati e ai dettagli dei
prodotti presenti su questo catalogo anche senza preavviso.**

Elica may at any time modify the specifications and details of the
products present in the catalogue.

**I prezzi sono da considerarsi Iva Esclusa
Data inizio validità 1 Settembre 2021**

The prices are without IVA
Valid from the 1st of September 2021

LUGLIO 2021
July 2021

Elica
Via Ermanno Casoli, 2
60044 Fabriano AN Italy
T +39 0732 6101
F +39 0732 610249

ZAMMC0887

FREE SAMPLE



elica.com